

新料號	型號(舊料號)	客戶名稱	開案/建立日期	說 明
CTP21900PA	ATS-001R	玖新實業	2006/9/8	TRANSFORMER, ATS-001R, POTS, EE-19, 600:600, WET, 1500V, ROHS
CTP219001A	ATS-003	ATECH	2005/12/21	EE-19, 600:600, WET, 3750V
CTP21900JA	ATS-003A	ATECH	2006/1/9	POTTING TYPE OF ATS-003
CTP219002A	ATS-003N	新域	2005/12/21	LEAD FREE OF ATS-003
CTP21900KA	ATS-005	汎哲	2006/1/9	EI-19, 600:600 SPLIT, 500VAC (7244133200600)
CTP028000A	ATS-007	ATECH	2006/1/2	EE-2829, 600:600, 3750V (671-8240)
#N/A	ATS-007-1		2006/1/1	
CTP028001A	ATS-007-2		2006/1/2	
CTP028002A	ATS-007A	ATECH	2006/1/2	ATS-007 W/H POTTING
CTP028006A	ATS-007AR	CARINDA	2006/4/3	ATS-007 W/H POTTING
#N/A	ATS-007B	ATECH	2006/1/1	ATS-007 W/H 8mm TAPE
#N/A	ATS-007B-1		2006/1/1	
#N/A	ATS-007C	璞石	2006/1/1	ATS-007 W/O ATECH LOGO ON BODY & PACKING
CTP028003A	ATS-007N	BOSCH	2006/1/2	LEAD-FREE OF ATS-007
CTP028005A	ATS-007R	艾可慕	2006/3/20	ROHS OF ATS-007
#N/A	ATS-007S	冠宇	2006/1/1	ATS-007 SMD TYPE, 3750V
#N/A	ATS-012	ATECH	2006/1/1	25-860-1045/0
CTP019000A	ATS-030	ATECH	2006/1/2	TTC-143
CTP319003A	ATS-040	ATECH	2006/1/2	EL-19, 600:600, DIP
#N/A	ATS-040N	WORLD MICRO	2006/1/1	LEAD FREE OF ATS-040
CTP31900GA	ATS-040R	傳康	2006/1/9	ROHS OF ATS-040
CTK241001A	ATS-041	ATECH	2005/12/22	EI-41, 6H SLIC HOLDING COIL
#N/A	ATS-041A	ASKEY	2006/1/1	EI-41, 3H SLIC HOLDING COIL
CTK241002A	ATS-041R	星通	2007/8/3	TRANSFORMER, ATS-041R, EI-41, 6H SLIC HOLDING COIL, ROHS
CTP219006A	ATS-050	ATECH	2006/1/2	EI-19, 600:600, W/H 80mADC, 1500V
#N/A	ATS-050A	CERMATEK	2006/1/1	ATS-050 W/H PIN#2,#3,#6,#7 ONLY
CTP219007A	ATS-050B	群睿	2006/1/2	TRANSFORMER, ATS-050B, POTS, EI-19, 600:600, W/H 80mADC, UL1950

#N/A	ATS-050BN	智灝	2006/1/1	LEAD FREE OF ATS-050B
CTP21900NA	ATS-050BR	群睿	2006/6/22	TRANSFORMER, ATS-050BR, POTS, EI-19, 600:600, W/H 80mADC, UL1950, ROHS OF ATS-050B
#N/A	ATS-050N	智灝	2006/1/1	LEAD FREE OF ATS-050
CTP319002A	ATS-063	文喬	2005/12/27	EL-S218X, 600:600, 1250V (671-8205)
CTP31900SA	ATS-063R	JK AUDIO	2006/2/23	ROHS OF ATS-063
CTP715000A	ATS-065	ATECH	2006/1/2	ER-14.5/6, 600:445, 1500V (671-8258)
CTP31900HA	ATS-067	ATECH	2006/1/9	EL-19, 600CT:600CT, DIP 1500V (ATS-040 W/H C.T.)
CTP31600RA	ATS-072	ATECH	2006/1/2	EE-16, 600:600, 3750V
CTP01601AA	ATS-072R	FLE	2006/5/11	ROHS OF ATS-072
CTA319001A	ATS-075	ATECH	2006/1/9	EL-19, 600:600, 3750V
CTP319004A	ATS-075N	ALPHA MICRO	2006/1/2	LEAD-FREE OF ATS-075
#N/A	ATS-075R	ALPHA MICRO	2006/1/1	ROHS OF ATS-075
CTP31600TA	ATS-079	ATECH	2006/1/2	EL-16, 1:1, POTTING, 4KV (P1200)
#N/A	ATS-079A	ATECH	2006/1/1	SAME AS ATS-079
CTP316032A	ATS-079AR	CARINDA	2006/2/9	ROHS OF ATS-079A
CTP31600UA	ATS-079B	INTEGRATED	2006/1/2	ATS-079, W/O POTTING
CTP316039A	ATS-079BR	CARINDA	2006/11/22	RoHS OF ATS-079B
#N/A	ATS-079N	ALPHA MICRO	2006/1/1	LEAD-FREE OF ATS-079
CTP31602CA	ATS-079R	ALPHA MICRO	2006/3/10	EL-16, 1:1, POTTING, 4KV (P1200)
#N/A	ATS-080A	傳信鵠	2006/1/1	ATS-080 W/H METAL CAN
CTP21900LA	ATS-080R	JK AUDIO	2006/5/19	ROHS OF ATS-080
CTS806001A	ATS-083	唯新	2006/1/9	RM-6, ISDN EMERGENCY +/-5V, DC/DC
CTS806000A	ATS-083A	唯新	2006/1/5	RM-6, ISDN EMERGENCY +5V, DC/DC
#N/A	ATS-083B	KAREL	2006/1/1	RM-6, ISDN EMERGENCY +3.3V/-5V, DC/DC
CTP313000A	ATS-086	VTECH/CARINDA	2006/1/2	EL-2829, (P1165)
#N/A	ATS-086A	CARINDA	2006/1/1	ATS-086 W/O PIN#5
CTP313005A	ATS-086R	大鵬	2006/2/10	ROHS OF ATS-086
#N/A	ATS-088	ATECH	2006/1/1	EE-2829, 600:442, 1500V (671-8264)

#N/A	ATS-089	XEROX	2006/1/1	EL-19, 20K:20K, 1500V
#N/A	ATS-089A	溪園	2006/1/1	EL-19, 20K:20KCT, 1500V
CTP319005A	ATS-090	ATECH	2006/1/2	EL-19, 20K:20K, 3750V
CTP319006A	ATS-090B	崧裕	2006/1/2	ATS-090 W/O MARKING (BLANK)
CTP31601BA	ATS-091	ATECH	2006/1/9	EE-16, P2001 COMPATIBLE
CTP31601CA	ATS-091A	ATECH	2006/1/9	ATS-091 W/O POTTING
#N/A	ATS-091B	ATECH	2006/1/1	LOW PROFILE OF ATS-091
CTP31600VA	ATS-091BN	DIGICOM	2006/1/2	LEAD FREE OF ATS-091B
CTP31601XA	ATS-091BR	DIGICOM	2006/4/10	ROHS OF ATS-091B
#N/A	ATS-091R	ATECH	2006/1/1	ROHS OF ATS-091
CTP016005A	ATS-099	AMIGO	2006/1/2	EE-16, 600:600, 4KVAC (LM-NP-1001)
#N/A	ATS-099A	帛漢	2006/1/1	EL-16, 600:600CT, 4KVAC (LM-NP-1002)
#N/A	ATS-099B	PRODIGY	2006/1/1	EL-16, 600CT:600CT, 4KVAC (LM-NP-1004)
#N/A	ATS-099N	EUROTRONIX	2006/1/1	LEAD-FREE OF ATS-099
CTP016018A	ATS-099R	EUROTRONIX	2006/2/23	ROHS OF ATS-099
#N/A	ATS-107	ATECH	2006/1/1	EE-16, 600:295, 1250V, PCMCIA 直PIN (671-8274)
CTP01600MA	ATS-108	ATECH	2006/1/9	EE-16, 600:295, 1250V, PCMCIA 上斜1.3mm
#N/A	ATS-108A	DIGICORP	2006/1/1	EE-16, 600:295, 1250V, PCMCIA 上斜2.4mm
#N/A	ATS-111R	玖新	2006/1/1	TRANSFORMER, ATS-111R, POTS, EL-16, 12K:2.6K, ROHS
CTP01600NA	ATS-113	ATECH	2006/1/9	EE-16, 600:295, 1250V, SMD
CTP219009A	ATS-115	YANG MEI	2006/1/2	EI-186, 2W-4W HYBRID
CTP31900TA	ATS-116R	CARINDA	2006/4/10	TRANSFORMER, ATS-116R, POTS, EL19, 600:1200, ROHS
CTP31600WA	ATS-117	GVC	2006/1/1	EL-16, 600:397, UL1950
#N/A	ATS-117A	GVC	2006/1/1	EL-16, 600:397, UL1950, W/H CAN
CTP316035A	ATS-117R	TAINET	2006/7/31	TRANSFORMER, ATS-117R, POTS, EL-16, ROHS OF ATS-117
#N/A	ATS-117S	ATECH	2006/1/1	SAME AS ATS-369
CTP316037A	ATS-117T	TAINET	2006/8/25	TRANSFORMER, ATS-117T, POTS, EL-16, 600:402, ATS-117 FOR TAINET ONLY(600:402 R/L=38dB MIN.)
#N/A	ATS-117TCR	TAINET	2006/1/1	TRANSFORMER, ATS-117TCR, POTS, EF-16, 600:402, CORE TYPE OF ATS-117TR

CTP316036A	ATS-117TR	TAINET	2006/8/17	TRANSFORMER, ATS-117TR, POTS, EL-16, 600:402, ROHS OF ATS-117T
#N/A	ATS-117TR1	TAINET	2006/1/1	TRANSFORMER, ATS-117TR1, POTS, EL-16, 600:402, COST DOWN OF ATS-117TR
#N/A	ATS-120	ATECH	2006/1/1	RM-5, T1/E1, 1CT:1CT, 1000V
CTP016006A	ATS-122	ATECH	2006/1/2	TRANSFORMER, ATS-122, POTS, EL-16, 600:357, 3750V, W/H POTTING
CTP01600HA	ATS-122A	ATECH	2006/1/5	TRANSFORMER, ATS-122A, POTS, EL-16, ATS-122 W/O POTTING
CTP016007A	ATS-122B	ATECH	2006/1/2	TRANSFORMER, ATS-122B, POTS, EL-16, 600:432, 3750V, W/O POTTING
#N/A	ATS-122BL	ATECH	2006/1/1	TRANSFORMER, ATS-122BL, POTS, EL-16, ATS-122B W/H LONG PINS, W/O POTTING
#N/A	ATS-122C	ATECH	2006/1/1	TRANSFORMER, ATS-122C, POTS, EL-16, ATS-122BL W/H POTTING
CTP016008A	ATS-122D	ZYXEL	2006/1/2	TRANSFORMER, ATS-122D, POTS, EL-16, ATS-122BL W/H 50HZ INDUCTANCE
CTP016016A	ATS-122DR	ZYXEL	2006/2/8	TRANSFORMER, ATS-122DR, POTS, EL-16, ROHS OF ATS-122D
CTP016009A	ATS-122E	ZYXEL	2006/1/2	ATS-122D W/H POTTING
CTP01601BA	ATS-122ER	ZYXEL	2006/8/22	TRANSFORMER, ATS-122ER, POTS, EL-16, ROHS OF ATS-122E
CTP325003A	ATS-124	ATECH	2006/1/9	EL-2425, 600:374, 1500V (671-8031)
#N/A	ATS-124A	BCL	2006/1/1	EL-2425, 600:374, 1500V (ATS-124 W/H COVER)
#N/A	ATS-125	ATECH	2006/1/1	EE-16, 600:348, 1500V (671-8269 電氣同)
CTP325004A	ATS-126	ATECH	2006/1/9	EL-2425, 600:374, 1500V
CTP31900FA	ATS-127	ATECH	2006/1/5	EL-187, 600:361, 1500V
CTP31900AA	ATS-127A	ATECH	2006/1/3	EL-187, 600:374, 1250V (PIN#6 START)
#N/A	ATS-127AN	GVC	2006/1/1	LEAD FREE OF ATS-127A
CTP319009A	ATS-127B	ASKEY	2006/1/2	EL-187, 600:374, 1250V (PIN#4 START)(671-8262)
CTP31900MA	ATS-127C	GVC	2006/1/9	EL-16, 600:374, UL1950 OF ATS-127B
CTP325005A	ATS-128	TRADPOST	2006/1/9	EL-25, 600:301, 1250V (671-8039)
CTP019001A	ATS-129	ATECH	2006/1/2	TRANSFORMER, ATS-129, POTS, EE-19, 600:464, 1500V (671-8273)
CTP019002A	ATS-129R	MIYAKAWA	2006/4/10	TRANSFORMER, ATS-129R, POTS, EE-19, 600:464, 1500V (671-8273), ROHS
#N/A	ATS-130	泰華	2006/1/1	EE-2829, 600:475, 3750V (671-8257)
CTP214000A	ATS-131	ATECH	2006/1/2	TRANSFORMER, ATS-131, POTS, EL-14, 600:600, 1250V
#N/A	ATS-131A	COMPONENTS	2006/1/1	EL-14, 600CT:600CT, 1200V
CTP214004A	ATS-131AN	COMPONENTS	2006/1/9	LEAD FREE OF ATS-131A

CTP314007A	ATS-131AR	COMPONENTS	2006/2/7	ROHS OF ATS-131A
#N/A	ATS-131B	ASKEY	2006/1/1	EL-14, 600:600, 1650V (UL1950 OF ATS-131)
#N/A	ATS-131C	HJC	2006/1/1	TRANSFORMER, ATS-131C, POTS, EL-14, 600:600CT, 1250V
CTP31400DA	ATS-131DR	新基	2008/5/15	TRANSFORMER, ATS-131DR, POTS, EL-14, ATS-131R W/O MARKING
CTP314009A	ATS-131R	ALPHA MICRO	2006/7/3	TRANSFORMER, ATS-131R, POTS, EL-14, 600:600, 1250V, ROHS OF ATS-131
#N/A	ATS-136	FORWARD	2006/1/1	EP-7, 600CT:470CT, 1100V (671-5932)
CTP022002A	ATS-138	ATECH	2006/1/18	TRANSFORMER, ATS-138, POTS, EE-22, 600:470, WET, 1250V, (671-8005, 671-8015)
CTP022001A	ATS-138A	ATECH	2006/1/2	TRANSFORMER, ATS-138A, POTS, EE-22, 600:470, WET, 1250V, (671-8001)
CTP022003A	ATS-138R	ATECH	2006/8/18	TRANSFORMER, ATS-138R, POTS, EE-22, ROHS OF ATS-138
CTP022004A	ATS-138BR	ATECH	2008/5/13	TRANSFORMER, ATS-138BR, POTS, EE-22, 600:470, 300uH, WET, 1250V, (REFER TO ATS-138)
#N/A	ATS-139	BCL	2006/1/1	RM-6, ISDN-U, FOR SIEMENS 2091
#N/A	ATS-140	TAKACOM	2006/1/1	EI-19, 600:150, 80mADC, 1500V
#N/A	ATS-141	ATECH	2006/1/1	EL-186, 600:600 (66-000141)
CTP21900AA	ATS-142	KTC	2006/1/2	TRANSFORMER, ATS-142, POTS, EI-19, 600:600CT, 90mADC (TPPC-6 HARD PINS)
CTP21900MA	ATS-142R	PT. QUASAR	2006/5/26	TRANSFORMER, ATS-142, POTS, EI-19, ROHS OF ATS-142
CTP325002A	ATS-143	ATECH	2006/1/3	EL-25.4, 600:600, 1500V, (671-8000)
CTP013007A	ATS-145R	NIVELCOMP	2006/4/6	EE-13, 600:600, 4000V, ROHS OF ATS-145
CTP01600PA	ATS-148	ATECH	2006/1/9	EL-16, 600:301, 1250V,(671-8392), FOR V.34, PCMCIA
#N/A	ATS-149	ATECH	2006/1/1	EL-16, 600:301, 1250V, SMD
CTS808004A	ATS-151	ATECH	2006/1/9	RM-8, FOR MOTOROLA MC145572 U-INTERFACE (DEVICE 11-1)
CTS808005A	ATS-151A	ESCO	2006/1/9	RM-8, FOR MOTOROLA MC145572 U-INTERFACE (DEVICE 11-2)
#N/A	ATS-156	TAINET	2006/1/1	RM-6, ISDN-U FOR MC145472(SMALL DC)
#N/A	ATS-158	ATECH	2006/1/1	100EL, 600:348, 1250V, FOR V.32bis, OFFSET 1.4mm
CTP30801TA	ATS-158A	ATECH	2006/1/9	100EL, 600:348, 1250V, FOR V.32bis, OFFSET 2.4mm
#N/A	ATS-162	ATECH	2006/1/1	EL-2425, 600:412, 1250V (671-8041)
#N/A	ATS-162A	ATECH	2006/1/1	EL-2425, 600:412, 1250V (ATS-162 W/H COVER)
CTP30800PA	ATS-163	ATECH	2006/1/2	100EL, 600:348, 1250V (671-8342), FOR V.32bis, SMD
#N/A	ATS-164	ATECH	2006/1/1	ELI-14, 600:392, 1250V, FOR V.34bis, SMD

CTP30801CA	ATS-168	ATECH	2006/1/5	100EL, 600:348, 1250V, FOR V.34, OFFSET 1.4mm
CTP30801DA	ATS-168A	ATECH	2006/1/5	100EL, 600:348, 1250V, FOR V.34, OFFSET 2.4mm
CTP308017A	ATS-168B	GSL	2006/1/3	100EL, 600:348, 1250V, FOR V.34, OFFSET 1.4mm (PIN長=2.2mm)
CTP30800QA	ATS-169	ATECH	2006/1/2	100EL, 600:348, 1250V, FOR V.34, SMD
#N/A	ATS-169A	ATECH	2006/1/1	ATS-169 W/H CAP
CTP30801EA	ATS-169B	正崴	2006/1/5	100EL, 600:348, 1250V, FOR V.34, SMD
CTP30801BA	ATS-169C	ATECH	2006/1/3	ATS-169 W/O MARKING
CTP30803KA	ATS-169DR	UNIDUX	2007/10/17	TRANSFORMER, ATS-169DR, POTS, 100EL, 600:346, 1250V, FOR V.34, SMD, ROHS W/H P180 WIRE
#N/A	ATS-170	ATECH	2006/1/1	EL-16, 600:294, 1650V (671-8326), FOR V.32bis, BABT PCMCIA
CTP01600QA	ATS-171	ATECH	2006/1/9	EL-16, 600:294, 1650V (671-8393), FOR V.34, BABT PCMCIA
#N/A	ATS-171S	MASTER	2006/1/1	EL-16, 600:294, 1650V (671-8425), FOR V.34, BABT SMD
CTX806004A	ATS-174	傳信鵠	2006/1/9	RM-6, DDS FOR LXT400/456
#N/A	ATS-175	CIS	2006/1/1	EE-13, 1CT:1SPLIT, 10 BASE-T
CTP30800RA	ATS-176	SARAH	2006/1/2	100EL, 600:600, 1250V, SMD
#N/A	ATS-176A	GROUP SENSE	2006/1/1	100EL, 600:600, 1250V, OFFSET 1.4mm(PIN長=2.2mm)
CTP30800HA	ATS-176R	傳康	2005/12/28	ROHS OF ATS-176
CTP31600XA	ATS-177	ATECH	2006/1/2	EL-16, 600:301, 1250V (2802B)
CTP31600YA	ATS-177N	MUTI-TECH	2006/1/2	LEAD FREE OF ATS-177
CTP01600RA	ATS-178	VTECH	2006/1/9	EL-16, 600:383, 1250V (TDK T031), FOR V.34bis PCMCIA
CTP01600SA	ATS-178A	ATECH	2006/1/9	EL-16, 600:383, 1250V , FOR V.34bis SMD
#N/A	ATS-179	COMSOLAR	2006/1/1	EL-14, 10K:2K
#N/A	ATS-180	BCL	2006/1/1	EL-2829, 600:365, 4KV (CWC9009), FOR V.34
#N/A	ATS-181	BLUECHIPS	2006/1/1	100EL, 600:301, 1250V (671-8324), FOR V.32bis, OFFSET 2.4mm
#N/A	ATS-181A	ATECH	2006/1/1	100EL, 600:301, 1250V (671-8340), FOR V.32bis, OFFSET 1.4mm
CTP308018A	ATS-182	ATECH	2006/1/3	100EL, 600:301, 1250V (671-8412), FOR V.34, OFFSET 2.4mm
CTP30801WA	ATS-182A	ATECH	2006/1/9	100EL, 600:301, 1250V (671-8409), FOR V.34, OFFSET 1.4mm
CTP30800SA	ATS-182B	RTI	2006/1/2	TRANSFORMER, ATS-182B, POTS, EL-08, 600:301, 1250V (671-8408), FOR V.34, SMD, 長PIN
CTP30800TA	ATS-182BN	UNIDUX	2006/1/2	TRANSFORMER, ATS-182BN, POTS, EL-08, LEAD FREE OF ATS-182B, TRAY PACKING

CTP30800UA	ATS-182BN-R	UNIDUX	2006/1/2	TRANSFORMER, ATS-182BN-R, POTS, EL-08, LEAD FREE OF ATS-182B, REEL PACKING
CTP30800VA	ATS-182C	ASKEY	2006/1/2	100EL, 600:301, 1250V , FOR V.34, SMD, 短PIN
CTP30801FA	ATS-182CN	國庭	2006/1/5	LEAD FREE OF ATS-182C
#N/A	ATS-182D	ATECH	2006/1/1	100EL, 600:301, 1250V , FOR V.34, SMD, W/H CAP
#N/A	ATS-182N	國庭	2006/1/1	LEAD FREE OF ATS-182
#N/A	ATS-183	DOS	2006/1/1	EL-16, 600:714 SPLIT, 4KV , FOR V.34
CTP31600ZA	ATS-184	ATECH	2006/1/2	EL-16, 600:348, 4KV , FOR V.34
CTP316010A	ATS-184N	ALPHA MICRO	2006/1/2	LEAD FREE OF ATS-184
CTP316011A	ATS-184R	ALPHA MICRO	2006/1/2	ROHS OF ATS-184
CTP316011A	ATS-184AR	ALPHA MICRO	2006/1/1	TRANSFORMER, ATS-184AR, POST, OTHER, SILICON/NICKEL MIX TYPE OF ATS-184R
CTP316011A	ATS-184CR	ALPHA MICRO	2006/1/1	TRANSFORMER, ATS-184CR, POST, EF-16, CORE TYPE OF ATS-184R
CTP316012A	ATS-185	MOTOROLA	2006/1/2	EL-16, 600:500, 3KV (AT&T 2718A), FOR V.34
#N/A	ATS-186	VTECH	2006/1/1	EL-16, 600:392, 3750V,(671-8285), FOR V.34
#N/A	ATS-187	ELETECH	2006/1/1	EI-19,600:120, W/H 60mADC, 1250V, FOR 9624/VOICE
#N/A	ATS-188	ELETECH	2006/1/1	EL-14,600:120, W/O DC, 1250V , FOR VOICE
#N/A	ATS-189	NOVALINK	2006/1/1	EI-41, RINGER
#N/A	ATS-190	大鼎電腦	2006/1/1	EL-19, 30K:30K, 3750V
#N/A	ATS-191	WELLTRONIX	2006/1/1	EI-16, 600:600, 1250V
#N/A	ATS-192	WELLTRONIX	2006/1/1	EI-16, 600:660, 1250V
#N/A	ATS-193	好慶	2006/1/1	EP-7, 12KHZ/16KHZ, BILLING TONE FILTER (671-4345)
#N/A	ATS-194	聯誠	2006/1/1	RM-8, 1.5SP:1, 81.5mH, FOR AT&T T7264 ISDN-U, (2754H2, 2754J2, 2754K2)
#N/A	ATS-195	MYUNG MIN	2006/1/1	EP-7, 100:400SP, 1250V, FOR T1/CEPT, (671-5832)
CTP314000A	ATS-196	ELETECH	2006/1/2	EL-14, 10K:10K, FOR MONITORING, 1200V
#N/A	ATS-196A	迪傑	2006/1/1	EL-14, 10K:10K, 1250V (SOFT PINS)
CTP31400CA	ATS-196R	捷超	2007/3/15	RoHS OF ATS-196
#N/A	ATS-197	BCL/NEC	2006/1/1	EL-2425, 600:301, 1250V, (671-8047), FOR V.34
CTP025003A	ATS-198	ATECH	2006/1/5	EL-2425, 600:374, 1250V, (671-8056), FOR V.34 (SORTING ATS-126)
CTP025004A	ATS-198A	ATECH	2006/1/5	EL-2425, 600:374, 1250V, (ATS-198 W/H CAP)

#N/A	ATS-198R	ATECH	2006/1/1	RoHS OF ATS-198
CTP316013A	ATS-199	ATECH	2006/1/2	EL-16, 600:422, 3750V, FOR V.34bis, POTTING
#N/A	ATS-199A	ATECH	2006/1/1	EL-16, 600:422, 3750V, FOR V.34bis, NON-POTTING
CTPH16002A	ATS-199CR	FLE ELECTRO.	2007/1/5	TRANSFORMER, ATS-199CR, POTS, EF-16, CORE TYPE ATS-199R
CTP316014A	ATS-199N	PLEXUS	2006/1/2	LEAD-FREE OF ATS-199
CTP316015A	ATS-199R	FLE ELECTRO.	2006/1/2	TRANSFORMER, ATS-199R, POTS, EL-16, 600:422, 3750V, FOR V.34bis, POTTING
CTP31601FA	ATS-200	ATECH	2006/1/9	EL-16, 600:397, 1250V, FOR V.34bis
#N/A	ATS-200A	ATECH	2006/1/1	EL-16, 600:397, 1250V, FOR V.34bis
#N/A	ATS-201	上弘	2006/1/1	EL-19, 600:600 SPLIT , 1250V, W/H SHIELDING
CTS808006A	ATS-202	ASKEY	2006/1/9	RM-8, 1.25CT:1, 28mH, FOR MC145572 ISDN-U, LOW PROFILE, (671-7308)
#N/A	ATS-203	MOTOROLA	2006/1/1	EL-16, 600:294, 1000V (2792A), FOR V.34, PCMCIA
#N/A	ATS-204	ASKEY	2006/1/1	EE-16, 600:280, 1250V, FOR V.34bis, SMD
CTP916000A	ATS-204A	ASKEY	2006/1/9	EE-16, 600:280, 1250V, FOR V.34bis, SMD(FLAT PIN)
#N/A	ATS-205	3J	2006/1/1	RM-8, 1.5SP:1, 81.5mH, FOR AT&T T7264 ISDN-U, (2754H2, 2754J2, 2754K2)
#N/A	ATS-206	所羅門	2006/1/1	EI-35, RINGER
#N/A	ATS-207	CIS	2006/1/1	EL-9.5, CHOKE, 16KHZ TAX TONE FILTER, FOR PCMCIA (671-4366)
#N/A	ATS-208	GVC	2006/1/1	TRANSFORMER, SM51182L, INVERTER, UI-10
#N/A	ATS-209	ATECH	2006/1/1	EL-16, 600:301, 1250V, FOR V.34bis, SMD
#N/A	ATS-210	ASKEY	2006/1/1	EL-16, 600:301, 1250V, FOR V.34bis, PCMCIA
#N/A	ATS-211	DOS	2006/1/1	EL-2829, 600:422, 3750V, (671-8334), FOR V.34, POTTING
#N/A	ATS-212	GVC	2006/1/1	EL-2829, 600:562, 3750V, (671-8248), FOR V.32bis, POTTING
#N/A	ATS-213	ASKEY	2006/1/1	EF-16, DC/DC, 3750V, (P1682)
CTP916001A	ATS-214	ASKEY	2006/1/9	EE-16, 600:301, 1650V, EN60950 , FOR V.34bis, SMD
CTP21900BA	ATS-215	DIGICOM	2006/1/2	EI-19, 600/150:499, 1500V, (671-9375)
CTP21900QA	ATS-215R	DIGICOM	2008/5/26	TRANSFORMER, ATS-215R, POTS, EI-19, 600mH, 600/150:499, 1500V, ROHS
#N/A	ATS-216-1	大鼎	2006/1/1	EE-2829, 600:75, 1500V, FOR ATM-018
#N/A	ATS-217	所羅門	2006/1/1	EI-35, 24VDC RINGER
CTP313004A	ATS-218	CARINDA	2006/1/9	EL-2829, 600:470, 4KV, (P3065), FOR V.34

#N/A	ATS-218A	CARINDA	2006/1/1	EL-2829, 600:470, 1500V, FOR V.34 (UN-POTTED)
CTK805001A	ATS-219	BOLVA	2006/1/2	RM-5, COMMON CHOKE, FOR BROADBAND LINE FILTER
CTK413002A	ATS-219A	ATECH	2006/1/9	EP-13, COMMON CHOKE, 7mH*2, FOR BROADBAND LINE FILTER
CTP313002A	ATS-220	TAICOM	2006/1/2	EL-2829, 600:600, 3750V
CTP313006A	ATS-220R	傳康	2006/3/30	ROHS OF ATS-220
#N/A	ATS-221	E-TECH	2006/1/1	EL-2425, 600:374, 1250V
CTP325006A	ATS-222	DOS	2006/1/9	EL-2425, 600:530, 1250V, (671-9372)
#N/A	ATS-222N	ZYXEL	2006/1/1	LEAD FREE OF ATS-222
#N/A	ATS-223	CI	2006/1/1	RM-8 LOW PROFILE, 1SP:1, 12.5mH, 1500V, (671-7844), FOR ISDN-U
CTS808007A	ATS-224	DT RESEARCH	2006/1/9	RM-8 LOW PROFILE, 1.6SP:1, 14.5mH, 1500V, (671-7456), FOR SEIMENS 2091 ISDN-U
#N/A	ATS-225	CURRENT LOGIC	2006/1/1	EL-2425, 600:301, 1650V , FOR V.34, UL1950
CTP325007A	ATS-226	OSE	2006/1/9	EL-2425, 600:301, 1250V, (671-8079, 671-9924), FOR V.34
CTP319010A	ATS-227	DOS	2006/1/2	S218X, 600:600CT, 3750V
#N/A	ATS-228	CIS	2006/1/1	CHOKE, QUAD 4.7mH (SIEMENS B82791-G14-A16)
CTP314003A	ATS-229	SOLOMON	2006/1/9	EL-14, 150:150, 1250V
#N/A	ATS-230	ASKEY	2006/1/1	100EL, 600:348, 1250V, FOR V.34bis, PCMCIA
#N/A	ATS-231	ESCO	2006/1/1	EL-2829, COMPLEX, 3750V
#N/A	ATS-232	MAIN POWER	2006/1/1	EL-14, 600:2400, 1250V
#N/A	ATS-233	俊驊	2006/1/1	EE-8.3, 600CT:1200, 1250V
#N/A	ATS-234	MASTER	2006/1/1	EI-19, 600SP:365, 60mADC, 1250V, (671-9323)
CTP317003A	ATS-235	ASKEY	2006/1/3	EE-16.8, 600:301, 1250V, (671-9865), FOR 56Kbps
#N/A	ATS-235A	ATECH	2006/1/1	EE-16.8, 600:316, 1250V, FOR 56Kbps LOW PROFILE SMD
#N/A	ATS-236	ZEBLE	2006/1/1	EI-35, 600:600, 60mADC, 1500V
#N/A	ATS-237	ESCO	2006/1/1	UU-10*8*3, COMMON CHOKE, 30mH
#N/A	ATS-237A	ESCO	2006/1/1	UU-10*8*3, COMMON CHOKE, 40mH
#N/A	ATS-238	BCL	2006/1/1	PT-1408, ISDN-U, MINI LOW PROFILE, FOR MC145572 (C.I.14-200243-0)
CTP31601GA	ATS-239	CIS	2006/1/9	EL-16, 600:412, 3000V, (P1356 CWC9010), FOR 56Kbps
#N/A	ATS-240	TAINET	2006/1/1	RM-6, ISDN-U, 1.25SP:1, 28.2mH, FOR MC145572 SMALL DC (DIP TYPE)

#N/A	ATS-240A	TAINET	2006/1/1	RM-6, ISDN-U, 1.25CT:1, 28.2mH, FOR MC145572 SMALL DC (GRID TYPE)
#N/A	ATS-241	ESCO	2006/1/1	PT-23/11, ISDN-U, FOR TP3410, ST5410, ST5411
#N/A	ATS-242	VSTAR	2006/1/1	EL-14, 3000:8, 500V
#N/A	ATS-243	CLASSI-TEC	2006/1/1	EL-2829, 600:475, 1250V, FOR 56Kbps SMD
CTP314001A	ATS-244	華鼎	2006/1/2	TRANSFORMER, ATS-244, POTS, EL-14, 20K:20K, 1200V
#N/A	ATS-244A	璞石	2006/1/1	TRANSFORMER, ATS-244A, POTS, EL-14, 20K:20K, 1200V, W/O ATECH LOGO ON BODY & PACKING
CTP314008A	ATS-244BR	紘聖賢	2006/5/15	TRANSFORMER, ATS-244BR, POTS, EL-14, 20K:20K, 1200V, W/H LI TAI LOGO and DATECODE, ROHS
CTP710001A	ATS-245	LUNG HWA	2006/1/2	ER-9.5, 1:1:1 AES/EBU DIGITAL AUDIO, 2KVDC (SC937-02)
#N/A	ATS-246	華鼎	2006/1/1	EI-14, 1.5K:3K SPLIT, 1500VDC
CTP316016A	ATS-247	ATECH	2006/1/2	EL-16, 600:374, 1250V, FOR 56Kbps (FUNCTION SAME AS ATS-127A)
#N/A	ATS-247BE	BOWMAN	2006/1/1	SAME AS ATS-247
CTP31601HA	ATS-247R	CONEXANT	2006/1/9	TRANSFORMER, ATS-247R, POTS, EL-16, 600:374, 1250V, ROHS OF ATS-247
#N/A	ATS-248	BCL	2006/1/1	EI-218, 600:600, 3750V, W/H 80mADC
#N/A	ATS-248A	CERMETEK	2006/1/1	ATS-248 W/O PIN#1, #4, #5, #8
#N/A	ATS-249	BCL	2006/1/1	EL-16, 16KHZ TAX PULSE FILTER, W/H 100mADC FOR PCMCIA (671-4366 FUNCTION COMPATIBLE)
CTP30800WA	ATS-250	ATECH	2006/1/2	EL-8, 600:290, 1000V, FOR 56Kbps PCMCIA (OFFSET 1.4mm)
CTP30801GA	ATS-250A	ATECH	2006/1/5	EL-8, 600:290, 1000V, FOR 56Kbps SMD (671-9921)(2786A)
CTP30800XA	ATS-250B	BCL	2006/1/2	EL-8, 600:290, 1000V, FOR 56Kbps PCMCIA (OFFSET 2.4mm)(671-8443)(671-9596)
#N/A	ATS-250BL	AMBIT	2006/1/1	EL-8, 600:290, 1000V (ATS-250B LONG PINS, OFFSET 2.4mm)
#N/A	ATS-250BR	OSITECH	2006/1/1	RoHS OF ATS-250B
#N/A	ATS-250C	UNIDUX	2006/1/1	EL-8, 600:290, 1000V, FOR 56Kbps PCMCIA (OFFSET 2.1mm)(671-8444)
CTP30800YA	ATS-250D	KINGMAX	2006/1/2	EL-8, 600:290, 1000V, FOR 56Kbps PCMCIA (OFFSET 1.9mm, L=19.5mm)
CTP30801HA	ATS-250L	AMBIT	2006/1/5	EL-8, 600:290, 1000V (ATS-250 LONG PINS, OFFSET 1.4mm, L=20.62mm)
#N/A	ATS-250LR	鴻海	2006/1/1	ROHS OF ATS-250L
#N/A	ATS-250R	鴻海	2006/1/1	ROHS OF ATS-250
#N/A	ATS-250XL	AMBIT	2006/1/1	EL-8, 600:290, 1000V (ATS-250 LONG PINS, OFFSET 1.4mm, L=21.62mm)
CTP710002A	ATS-251	BCL	2006/1/2	TRANSFORMER, ATS-251R, POTS, ER-9.5, 10K:1.5K, 1000VAC
CTP709001A	ATS-251R	運成	2006/3/16	TRANSFORMER, ATS-251R, POTS, ER-9.5, 10K:1.5K, 1000VAC, ROHS

#N/A	ATS-252	ATECH	2006/1/1	EL-16, 600:301, 2000V, W/O POTTING, MEET UL1950
#N/A	ATS-253	TAITRONIC	2006/1/1	EL-16, 600:523, 3750V, W/H POTTING
#N/A	ATS-254	BCL	2006/1/1	EE-22, 600:470, 1250V, W/H 100mADC
CTP316017A	ATS-255	GVC	2006/1/2	EL-16, 600:274, 3750V, FOR 56Kbps
#N/A	ATS-255A	ASKEY	2006/1/1	EL-16, 600:274, 3750V, FOR 56Kbps
#N/A	ATS-255B	E-TECH	2006/1/1	EL-16, 600:274, 2000V, FOR 56Kbps
#N/A	ATS-255L	CARINDA	2006/1/1	EL-16, 600:294, 3750V, FOR 56Kbps, LOW PROFILE (H=11mm)
CTP31601VA	ATS-255R	QCOM	2006/2/8	ROHS OF ATS-255
CTP316018A	ATS-256	CIS	2006/1/2	EL-16, 600:301, 1250V, FOR 56Kbps (ATS-177 COIL) (PIN#6 START)
#N/A	ATS-256A	ASKEY	2006/1/1	EL-16, 600:301, 1250V (PIN#4 START)
#N/A	ATS-256B	廣川	2006/1/1	LONG PINS OF ATS-256 (PIN= 3.3mm)
#N/A	ATS-256C	ATECH	2006/1/1	TRANSFORMER, ATS-256C, POTS, EF-16, CORE TYPE ATS-256
CTPH16003A	ATS-256CR	UNIDUX	2007/3/21	TRANSFORMER, ATS-256CR, POTS, EF-16, CORE TYPE ATS-256, ROHS
CTP316019A	ATS-256N	UNIDUX	2006/1/2	LEAD FREE OF ATS-256
CTP31603AA	ATS-256R	FLE	2007/2/6	ROHS OF ATS-256
CTP016002A	ATS-257	ATECH	2005/12/21	EEL-16, 600:301, 1250V, FOR 56Kbps PCMCIA (OFFSET 1.4mm)
CTP01600IA	ATS-257A	ATECH	2006/1/5	EEL-16, 600:301, 1250V, FOR 56Kbps SMD
#N/A	ATS-257AN	UNIDUX	2006/1/1	LEAD FREE OF ATS-257A
#N/A	ATS-257B	ASKEY	2006/1/1	EEL-16, 600:301, 1250V, FOR 56Kbps PCMCIA (OFFSET 1.4mm LOW COST)
CTP01600UA	ATS-257C	ATECH	2006/1/9	EEL-16, 600:301, 1250V, FOR 56Kbps PCMCIA (OFFSET 2.4mm)
CTP01600WA	ATS-257D	C-ONE	2006/1/9	EEL-16, 600:301, 1250V, FOR 56Kbps PCMCIA (OFFSET 1.0mm)
CTP016001A	ATS-257N	互億	2005/12/21	LEAD FREE OF ATS-257
CTP016013A	ATS-257S	ASKEY	2006/1/11	EEL-16, 600:301, 1250V, FOR 56Kbps PCMCIA (OFFSET 1.3mm)
CTP31601AA	ATS-258	GVC	2006/1/5	EE-16, PC.2, 600:301, 1250V, FOR 56Kbps (ATS-177 COIL)
CTP01600AA	ATS-259	CARINDA	2006/1/2	EEL-16, 600:301, 1650V, FOR 56Kbps PCMCIA (UL1950, OFFSET 1.4mm)
CTP01600BA	ATS-259A	ATECH	2006/1/2	EEL-16, 600:301, 1650V, FOR 56Kbps, SMD (UL1950, LOW PROFILE)
CTP01600CA	ATS-259B	TEKELEC	2006/1/2	EEL-16, 600:301, (I.R. REFLOWABLE OF ATS-259C)
CTP016010A	ATS-259C	ATECH	2006/1/9	EEL-16, 600:301, 1650V, FOR 56Kbps PCMCIA (UL1950, OFFSET 2.4mm)

CTP016014A	ATS-259D	AMBIT	2006/1/11	EEL-16, 600:301, (I.R. REFLOWABLE OF ATS-259)
#N/A	ATS-259E	ASKEY	2006/1/1	EEL-16, 600:301, (CORE W/H TAPE OF ATS-259D)
CTP016017A	ATS-259R	互億	2006/2/21	EEL-16, 600:301, 1650V, FOR 56Kbps PCMCIA (UL1950, OFFSET 1.4mm), RoHS OF ATS-259
#N/A	ATS-259S	ASKEY	2006/1/1	EEL-16, 600:301, 1650V, FOR 56Kbps PCMCIA (UL1950, OFFSET 1.3mm)
CTP325000A	ATS-260	ATECH	2005/12/21	EL-2425, 600:301, 1250V, FOR 56Kbps (671-9856)
CTP325001A	ATS-260N	TRADPPOST	2005/12/21	LEAD FREE OF ATS-260
CTA40700FA	ATS-261	C.I.	2006/7/24	TRANSFORMER, ATS-261, HDL, EP-7, 1SP:1, 15mH, 1250V, SMD (MIDCOM 50240)
#N/A	ATS-262	DOS	2006/1/1	EL-16, 900:600, 3750V
CTS900005D	ATS-263	ATECH	2006/1/9	MODULE, ISDN 1CT:2, S0-INTERFACE (LANKOM LT-S300C)(T/B TS5015) (33mH)
CTS90000FD	ATS-263R	鼎翰	2006/11/1	TRANSFORMER, ATS-263R, ISDN, OTHER, 33mH, 1CT:2, S0-INTERFACE, ROHS OF ATS-263 (銘電 ??)
CTA41300UA	ATS-264	眾通	2006/1/2	EP-13, 2SP:1, 2mH, 1500V, FOR HDL 1168Kbps (671-7928)
#N/A	ATS-264A	登壹	2006/1/1	EP-13, SMD OF ATS-264
#N/A	ATS-265	VTECH	2006/1/1	EP-7, 100CT:100CT, 1250V, FOR T1/E1 (66-000045, 671-5792)
#N/A	ATS-266	華鼎	2006/1/1	EI-19, 600SP:600, 1000VAC, FOR SLIC
#N/A	ATS-267	ADVANCED	2006/1/1	DIGITALEL-16, 600:442, 1500VAC
CTP317000A	ATS-268	金益宏	2006/1/2	EL-17, 600:392,1250V (671-8455, 671-8422), FOR V.34 SMD
#N/A	ATS-268A	CONEXANT	2006/1/1	ATS-268 W/H CAP
#N/A	ATS-269	VICOR	2006/1/1	EK-25, 600SP:1020, 1250V (90mADC)
CTP316020A	ATS-270	ASKEY	2006/1/2	TRANSFORMER, ATS-270, POTS, EL-16, 600:374, 3750V (W/O POTTING)
#N/A	ATS-270A	ACEEX	2006/1/1	TRANSFORMER, ATS-270A, POTS, EL-16, 600:374, 3750V (W/H POTTING)
CTP316027A	ATS-270C	ATECH	2006/1/3	TRANSFORMER, ATS-270C, POTS, EF-16, CORE TYPE ATS-270
CTPH16000A	ATS-270CR	CONEXANT	2006/4/20	TRANSFORMER, ATS-270CR, POTS, EF-16, ROHS OF ATS-270C
CTPH16000D	ATS-270CR-4		2007/8/15	TRANSFORMER, ATS-270CR-4, POTS, EF-16, ROHS OF ATS-270C(合點??)
#N/A	ATS-270N	CONEXANT	2006/1/1	TRANSFORMER, ATS-270N, POTS, EL-16, LEAD FREE OF ATS-270
CTP316038A	ATS-270R	CONEXANT	2006/10/19	TRANSFORMER, ATS-270R, POTS, EL-16, 600:374, 3750V, ROHS (W/O POTTING)
#N/A	ATS-271	E-TECH	2006/1/1	RM-8, 1SP:1, 1250V, FOR BT8952 HDL 1168K (LOW PROFILE)
#N/A	ATS-272	DOS	2006/1/1	EL-16, 600:392, 1650V (671-8484)
CTP316000A	ATS-273	ASKEY	2005/12/21	TRANSFORMER, ATS-273, POTS, EL-16, 600:360, 1650V (LUCENT 2811B)

CTP31601JA	ATS-273A	ASKEY	2006/1/9	TRANSFORMER, ATS-273A, POTS, EL-16, POTTING TYPE OF ATS-273
CTP316034A	ATS-273AR	MULTI-TECH	2006/6/27	TRANSFORMER, ATS-273A, POTS, EL-16, RoHS OF ATS-273A
CTP316003A	ATS-273B	ASKEY	2005/12/21	TRANSFORMER, ATS-273B, POTS, EL-16, 600:360, 1650V (MEET NEMKO)
#N/A	ATS-273B1	TAICOM	2006/1/1	TRANSFORMER, ATS-273B1, POTS, EL-16, ATS-273B W/H PIN#1 WHITE DOT
CTPH16001A	ATS-273BCR	ATECH	2006/11/15	TRANSFORMER, ATS-273BCR, POTS, EF-16, CORE TYPE ATS-273B, ROHS
CTP31601KA	ATS-273BL	GVC	2006/1/9	TRANSFORMER, ATS-273BL, POTS, EL-16, ATS-273B W/H 2.9mm PINS
CTP316021A	ATS-273BLN	GVC	2006/1/2	TRANSFORMER, ATS-273BLN, POTS, EL-16, LEAD FREE OF ATS-273BL
#N/A	ATS-273BM	MAXLION	2006/1/1	TRANSFORMER, ATS-273BM, POTS, EL-16, SAME AS ATS-273B, ONLY FOR MAXLION
CTP316022A	ATS-273BN	崑強	2006/1/2	TRANSFORMER, ATS-273BN, POTS, EL-16, LEAD FREE OF ATS-273B
#N/A	ATS-273BP	BLUEPACKET	2006/1/1	TRANSFORMER, ATS-273BP, POTS, EL-16, ATS-273 SORTING DCR +/-5% & +/-5.1~10%
CTP316006A	ATS-273C	TAICOM	2005/12/21	COST DOWN OF ATS-273B
CTP316009A	ATS-273CN	崑強	2005/12/21	LEAD FREE OF ATS-273C
#N/A	ATS-273CQ	QCOM	2006/1/1	ATS-273C W/H ATS-273CQ MARKING
CTP31600BA	ATS-273N	GVC	2005/12/21	LEAD FREE OF ATS-273
CTP316033A	ATS-273R	MULTI-TECH	2006/2/22	TRANSFORMER, ATS-273R, POTS, EL-16, 600:360, 1650V (LUCENT 2811B), RoHS OF ATS-273
CTP30800ZA	ATS-274	CIS	2006/1/2	EL-8, 600:287, 1650V (OFFSET 2.4mm)(671-8481)
CTP308000A	ATS-274A	GVC	2005/12/21	EL-8, 600:287, 1650V, SMD
#N/A	ATS-274AN	MULTI-TECH	2006/1/1	LEAD FREE OF ATS-274A
CTP30803AA	ATS-274AR	希旺科技	2006/1/26	ROHS OF ATS-274A
CTP314004A	ATS-275	新鼎	2006/1/9	EL-14, 5K:5K, 1250V
CTP319011A	ATS-276	嵩業	2006/1/2	EL-186, 600:600*2, 1250V (671-8268)
#N/A	ATS-277	BCL	2006/1/1	EP-7, 100SP:100, 25.4mH, 1250V, FOR AD20msp910 ADSL (671-7999)
#N/A	ATS-278	C.I.	2006/1/1	RM-6, 135 SPLIT:135, 1500V, FOR ISDN-U 40mADC (C.I. 14-300057-0)
CTP316023A	ATS-279	ASKEY	2006/1/2	EL-16, 600:420, 3000VAC, FOR 56Kbps (CWC 9035)
#N/A	ATS-279A	GVC	2006/1/1	SAME AS ATS-279,CREEPAGE IS 3M#44 TAPE
#N/A	ATS-279R	突破	2006/1/1	ROHS OF ATS-279
#N/A	ATS-280	CLASS-TEC	2006/1/1	RM-6, ISDN-UK0, 1KVAC (VAC T60403-M6296-X011)
#N/A	ATS-281	CLASS-TEC	2006/1/1	COMMON CHOKE, 5mH*2, FOR ISDN, DIP (VAC T60403-N4025-X127)

#N/A	ATS-281A	久津	2006/1/1	COMMON CHOKE, 5mH*2, FOR ISDN, SMD (VAC T60405-N5024-X007)
#N/A	ATS-282	ROCKWELL	2006/1/1	EL-16, 600:340, 1250V (BEL 0574-1000-15/ -16)
#N/A	ATS-283	ROCKWELL	2006/1/1	EL-17, 600:392, 1250V (LOW COST ATS-268)
CTA41300VA	ATS-284	ROCKWELL	2006/1/2	EP-13, 2SP:1, 3mH, 1500V, FOR HDSL 784Kbps (671-7929)
#N/A	ATS-285	LUNG HWA	2006/1/1	EE-16.8, AES/EBU DIGITAL AUDIO, 2KVDC (LOW COST ATS-245)
#N/A	ATS-286	ATECH	2006/1/1	MODULE, ISDN 1CT:2CT, S-INTERFACE (LANKOM LT-5104L)
CTP316024A	ATS-287	ASKEY	2006/1/2	EL-16, 600:374, 1250V (GT-87008)
CTT407000A	ATS-288	ADVANCED	2006/1/9	EP-7, 75:120, 1250V, FOR T1/E1
#N/A	ATS-288A	寧波吉品	2006/1/1	ATS-288 SMD TYPE
#N/A	ATS-289	PRO-SOURCE	2006/1/1	EL-14, 600:600, 1250V (671-8433)
#N/A	ATS-290	CIS	2006/1/1	EL-8, 600:300,
CTP314002A	ATS-291	華鼎	2006/1/2	TRANSFORMER, ATS-291, POTS, EL-14, 5KCT:600CT, 1250V
#N/A	ATS-2915-5	LET	2006/1/1	EP-10, 75/120 FOR MT89790B E1, 1500V (TFS2915-5)
CTP31400BA	ATS-291R	東訊	2007/2/6	TRANSFORMER, ATS-291R, POTS, EL-14, ROHS OF ATS-291
#N/A	ATS-292	華鼎	2006/1/1	EL-14, 2400SP:600CT
#N/A	ATS-293	ZYXEL	2006/1/1	TRANSFORMER, ISDN-S0, 1SP:2 (ZKB402/589)
CTP316025A	ATS-294	BCL	2006/1/2	TRANSFORMER, ATS-294, POTS, EL-16, 600:600, 1250V
CTP316031A	ATS-294R	Ai-Logix	2006/3/29	TRANSFORMER, ATS-294R, POTS, EL-16, 600:600, 1250V, ROHS
#N/A	ATS-295	ATECH	2006/1/1	MODULE, ISDN-S0, 1CT:2, COST DOWN OF ATS-263 (22mH)(H=15mm) (S5016)
CTS900006D	ATS-295A	ASKEY	2006/1/9	MODULE, ISDN-S0, 1CT:2, LOW PROFILE OF ATS-295 (H=14.4mm)(銘電T11801D)
CTS90000GD	ATS-295AR	鼎翰	2007/3/8	ROHS OF ATS-295A (銘電??)
#N/A	ATS-296	BCL	2006/1/1	TRANSFORMER, 1SP:1SP, 1250VAC (671-9852)
#N/A	ATS-297	CIS	2006/1/1	EL-8, 600:348, 1650V (FOR LUCENT 1034AH)
CTP314005A	ATS-298	KINGYE	2006/1/9	EL-14, 10K:10KCT, 1200V
#N/A	ATS-299	KINGYE	2006/1/1	EL-14, 20K:20KCT, 1200V
#N/A	ATS-300	THUNDERCOM	2006/1/1	MODULE, ISDN-S0, 3000V (IEC-950, 30mH)
#N/A	ATS-301	ATECH	2006/1/1	MODULE, ISDN-S0, COST DOWN OF ATS-300 (22mH)
CTS900008D	ATS-302	ATECH	2006/1/9	MODULE, ISDN-S0, 1CT:2, 3000V (22mH) (LT-S301C)(OEP5302A)(T/B TS5016H-3)

CTS900003D	ATS-303	ASKEY	2006/1/5	MODULE, ISDN-S0, 1CT:2CT, 2000V (W/H CT, 30mH) (LT-S302C)(OEP5014A)
#N/A	ATS-303A	ASKEY	2006/1/1	MODULE, ISDN-S0, 1CT:2CT, EN60950 (W/H CT, 30mH)
#N/A	ATS-304	ASKEY	2006/1/1	MODULE, ISDN-S0, 3000V (IEC-950, W/H CT, 22mH)
#N/A	ATS-305	BYD	2006/1/1	EE-19, ISDN-U, 2500V (TEW4229)
#N/A	ATS-306	GVC	2006/1/1	EP-7, ADSL, 3.375SP:1, 10mH, 1250V (50609)
#N/A	ATS-307	GVC	2006/1/1	EP-13, ADSL, 1SP:1SP, 1.27mH, 1250V DIP (50610)
CTP319012A	ATS-308	福成	2006/1/2	EL-187, 150:150, 3750V
CTP31900UA	ATS-308R	CARINDA	2008/4/30	TRANSFORMER, ATS-308R, POTS, EL-19, 150:150, 3750V, ROHS OF ATS-308
CTSF23000A	ATS-309	MYUNGMIN	2005/12/21	CT-23/11, ISDN-U, 1.25SP:1CT, 28mH, 2000V (PE-68628)
#N/A	ATS-309N	雅企	2006/1/1	LEAD FREE OF ATS-309
#N/A	ATS-310	捷登	2006/1/1	CT-23/11, HDSL, 1.8CT:1CT, 2.9mH, 2000V (671-7376)
CTP308001A	ATS-311	AMC	2005/12/21	TRANSFORMER, ATS-311, POTS, EL-8, 600:412, 3750V (P2781)
#N/A	ATS-311A	比利迦	2006/1/1	ATS-311 W/O MARKING
CTPL08001A	ATS-311AR	源生實業	2007/1/11	TRANSFORMER, ATS-311AR, POTS, ED-8, W/O MARKING, ROHS OF ATS-311A
#N/A	ATS-311B	BOURNS	2006/1/1	ATS-311 W/H BOURNS MARKING
#N/A	ATS-311CAR	HONEYWELL	2006/1/1	TRANSFORMER, ATS-311CAR, POTS, EL-8, 600:600, 4600V, ATS-311CR W/H ATECH MARKING (P2781)
#N/A	ATS-311CR	FECS	2006/1/1	TRANSFORMER, ATS-311CR, POTS, EL-8, 600:600, 4600V, ROHS (P2781)
#N/A	ATS-311ECR	FLE	2006/1/1	TRANSFORMER, ATS-311ECR, CORE TYPE, ROHS OF ATS-311
CTP308002A	ATS-311N	ALPHA MICRO	2005/12/21	LEAD FREE OF ATS-311
CTP30802AA	ATS-311R	FLE	2006/1/9	TRANSFORMER, ATS-311R, POTS, EL-8, ROHS OF ATS-311
CTP313003A	ATS-312	凡統	2006/1/2	EL-2829, 600:360, 3750V (P3156)
#N/A	ATS-312N	TRADPOST	2006/1/1	LEAD-FREE OF ATS-312
CTP313007A	ATS-312R	TRADPOST	2006/7/19	RoHS OF ATS-312
CTP307003A	ATS-313	BCL	2006/1/9	EL-17, 600:392, 1650V (UL1950 OF ATS-268)(671-8496)
CTP317001A	ATS-313A	BCL	2006/1/2	ATS-313 CUT BOBBIN
CTP317002A	ATS-313AN	MUTI-TECH	2006/1/2	LEAD FREE OF ATS-313A
#N/A	ATS-314	群百	2006/1/1	EI-19, 600:600, 60mADC, 1250V
CTP325008A	ATS-315	嵩業	2006/1/9	EL-2425, HYBRID 600:600*2, 1250V

#N/A	ATS-316	CIS	2006/1/1	EP-13, ADSL CPE, 135SP:135SP, 1250V, SMD (671-7952)
#N/A	ATS-316A	GVC	2006/1/1	EP-13, ADSL CPE, 135SP:135SP, 1250V, SMD (50768)(C1414)
CTA41301PA	ATS-316B	GVC	2006/1/9	EP-13, ADSL CPE, 135SP:135SP, 1250V, SMD (B2064)
#N/A	ATS-317	CIS	2006/1/1	CT-23/11, ADSL 1CT:1, 1500V (B2026)
#N/A	ATS-318	HJC	2006/1/1	EI-19, TTPC-8 W/H SILICON LAMINATION
#N/A	ATS-319	AMC	2006/1/1	EL-14, 600:464, 1250V
#N/A	ATS-320	JEAN	2006/1/1	EL-19, 600CT:600CT, 1250V
#N/A	ATS-320A	榮績	2006/1/1	EL-19, 600CT:600, 1250V
#N/A	ATS-321	ATECH	2006/1/1	EL-8, 600:348, 1250V (FOR LUCENT 1034AH)
CTP316028A	ATS-322	ASKEY	2006/1/11	EL-16L, 600:348, 1650V (FOR LUCENT 1034AH)(OFFSET 1.4mm)
CTP316030A	ATS-322A	ASKEY	2006/1/11	EL-16L, 600:348, 1650V (FOR LUCENT 1034AH)(FLAT PIN)
CTP316029A	ATS-322C	ASKEY	2006/1/11	EL-16L, 600:348, 1650V (FOR LUCENT 1034AH)(OFFSET 2.4mm)
#N/A	ATS-323	ATECH	2006/1/1	EL-16L, 600:301, 1250V (COIL SAME AS ATS-257)(OFFSET 1.4mm)
#N/A	ATS-323A	PCTEL	2006/1/1	EL-16L, 600:301, 1250V (COIL SAME AS ATS-257A)(SMD)
#N/A	ATS-323S	ASKEY	2006/1/1	EL-16L, 600:301, 1250V (COIL SAME AS ATS-257S)(OFFSET 1.3mm)
CTP30802BA	ATS-324	ATECH	2006/1/9	EL-8, 600:287, 1650V (特性同ATS-274)(OFFSET 2.4mm)
CTP30800KA	ATS-324A	UNIDUX	2005/12/28	EL-8, 600:287, 1650V, SMD
CTP308003A	ATS-324AN	LG	2005/12/21	LEAD FREE OF ATS-324A
CTP30800GA	ATS-324AR	ALPHA MICRO	2005/12/26	ROHS OF ATS-324A
CTP30801JA	ATS-324B	UNIDUX	2006/1/5	EL-8, 600:287, 1650V (OFFSET 2.1mm)
CTP308010A	ATS-324C	ASKEY	2006/1/2	EL-8, 600:287, 1650V (OFFSET 1.2mm)
#N/A	ATS-325	TURBO	2006/1/1	EE-16, 600:348, 1250V, SMD
#N/A	ATS-326	LEADTEK	2006/1/1	EL-14, 300:300CT, 200V
#N/A	ATS-327	ATECH	2006/1/1	EL-16L, 600:301, 1650V (COIL SAME AS ATS-259) (OFFSET 1.4mm)
#N/A	ATS-327A	ATECH	2006/1/1	EL-16L, 600:301, 1650V (COIL SAME AS ATS-259A) (SMD)
CTP30801KA	ATS-328	AMBIT	2006/1/5	EL-08L, 600:287, 1650V, PCMCIA (特性同ATS-274)(OFFSET 2.4mm)
CTP308011A	ATS-328A	ATECH	2006/1/2	EL-08L, 600:287, 1650V, SMD
CTP308037A	ATS-328B	GVC	2006/1/11	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 2.7mm)

CTP30802IA	ATS-328C	CIS	2006/1/9	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 1.0mm)
CTP30802KA	ATS-328D	GVC	2006/1/9	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 2.1mm)
CTP308012A	ATS-329	ASKEY	2006/1/2	EL-08L, 600:348, 1650V, PCMCIA (特性同ATS-297)(OFFSET 2.4mm)
CTP308013A	ATS-329A	ATECH	2006/1/2	EL-08L, 600:348, 1650V, SMD
CTP308004A	ATS-329AN	COMPONENTES	2005/12/21	LEAD FREE OF ATS-329A
#N/A	ATS-329D	GVC	2006/1/1	EL-08L, 600:348, 1650V, PCMCIA (OFFSET 2.1mm)
#N/A	ATS-330	CIS	2006/1/1	EP-13, 100:50, 1500V, FOR TI ADSL CHIPSET 3000, DIP (SCHOTT 33817)
#N/A	ATS-330A	GVC	2006/1/1	EP-13, 100:50, 1500V, FOR TI ADSL CHIPSET 3000, SMD (SCHOTT 32824)
#N/A	ATS-330B	大霸	2006/1/1	EP-13, 100:50, 1500V, FOR TI ADSL CHIPSET 3000, SMD (B2204)
CTP308014A	ATS-331	AMC	2006/1/2	ED-8, 600:360, 3750V (P3181)
#N/A	ATS-331N	OSITECH	2006/1/1	LEAD FREE OF ATS-331
#N/A	ATS-331R	MULTI-TECH	2006/1/1	ROHS OF ATS-331
CTP308005A	ATS-332	凱琳	2005/12/21	ED-8, 600:332, 3750V (671-8275)
#N/A	ATS-332N	ALTEC	2006/1/1	LEAD FREE OF ATS-332
#N/A	ATS-333	CIS	2006/1/1	EL-08L, 600:290, 1250V (OFFSET 1.4mm)
#N/A	ATS-333A	GVC	2006/1/1	EL-08L, 600:290, 1250V (OFFSET 2.7mm)
CTP30802QA	ATS-333B	虹志	2006/1/9	EL-08L, 600:290, 1250V (SMD)
CTP30802RA	ATS-334	CIS	2006/1/9	EL-08L, 600:348, 1250V, PCMCIA (FOR LUCENT 1034AH, OFFSET 1.4mm)
CTP308006A	ATS-334A	GVC	2005/12/21	EL-08L, 600:348, 1250V, SMD
CTP30801LA	ATS-334B	GVC	2006/1/5	EL-08L, 600:348, 1250V, PCMCIA (FOR LUCENT 1034AH, OFFSET 2.4mm)
#N/A	ATS-335	ASKEY	2006/1/1	EP-13, ADSL 100SP:100SP, 1500V DIP (PE-B2031)
CTA41301QA	ATS-335A	ASKEY	2006/1/9	EP-13, ADSL 100SP:100SP, 1500V SMD (PE-B2032)
CTA40700DA	ATS-336	ASKEY	2006/1/9	EP-7, ADSL, 1250V (50631)(特性同ATS-306)
#N/A	ATS-337	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1SP, 1.25mH, 1500V UL1950 DIP
#N/A	ATS-337A	AMBIT	2006/1/1	EP-13, ADSL, 1SP:1SP, 1500V UL1950 (50624)
#N/A	ATS-338	TAICOM	2006/1/1	MODULE, ISDN-S0, 1CT:2.5CT, 1500V (L5051-X022)(OEP5022A)(T/B TS5020)
#N/A	ATS-338A	ASKEY	2006/1/1	SMD OF ATS-338 (L5052-X112)
CMS301190A	ATS-338N	UNIDUX	2005/12/27	LEAD FREE OF ATS-338 (銘電 TI1807D-W)

#N/A	ATS-339	CLASSI-TEC	2006/1/1	CT-23/11, 2SP:1, 2mH, E1 for BT8921, 1500V (671-7725)
#N/A	ATS-340	CIS	2006/1/1	EP-13, Alcatel ADSL, 1:1, 600V (50640)
#N/A	ATS-341	CIS	2006/1/1	EP-13, Alcatel ADSL, 1:1, 600V (50641)
#N/A	ATS-342	CIS	2006/1/1	EP-13, Alcatel ADSL, 1SP:1SP, 440uH, 1500V DIP (50642)
#N/A	ATS-343	CIS	2006/1/1	EP-10, Alcatel ADSL, 2:1:3.3CT, 600V (50643)(C1195)
#N/A	ATS-344	CIS	2006/1/1	EP- 7, Alcatel ADSL, 1:1, 500V (50644)
#N/A	ATS-345	C.I.	2006/1/1	CT-23/11, ISDN-U, 1.25SP:1, 1500V (14-200245-0)
#N/A	ATS-346	C.I.	2006/1/1	CT-23/11, HDSL, 1.78SP:1, 1500V (14-200248-0)
#N/A	ATS-347	CARINDA	2006/1/1	EL-16, 600:464 (P3166)
CTP30801MA	ATS-348	ASKEY	2006/1/5	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 1.4mm)(特性同ATS-328)
CTP308007A	ATS-348A	ASKEY	2005/12/21	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 2.4mm)
CTP308038A	ATS-348AD	AMBIT	2006/1/11	EL-08L, 600:287, 1650V, PCMCIA DUMMY PINS (OFFSET 2.4mm,PIN TO PIN 21.3mm)
CTP30800CA	ATS-348AL	AMBIT	2005/12/22	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 2.4mm,PIN TO PIN 21.3mm)
#N/A	ATS-348ALN	鴻海新竹	2006/1/1	LEAD FREE OF ATS-348AL
CTP30800DA	ATS-348AP	AMBIT	2005/12/22	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 1.2mm,PIN TO PIN 21.3mm)
#N/A	ATS-348APN	鴻海新竹	2006/1/1	LEAD FREE OF ATS-348AP
#N/A	ATS-348AS	AMBIT	2006/1/1	EL-08L, STRAIGHT PINS OF ATS-348AL
CTP308008A	ATS-348B	ASKEY	2005/12/21	EL-08L, 600:287, 1650V, SMD
CTP30803BA	ATS-348BR	揚積	2006/5/22	ROHS OF ATS-348B
CTP30800EA	ATS-348C	ACTIONTECH	2005/12/22	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 2.1mm)
CTP30801NA	ATS-348D	ASKEY	2006/1/5	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 1.0mm)
#N/A	ATS-348E	ASKEY	2006/1/1	EL-08L, 600:287, 1650V, PCMCIA (OFFSET 1.2mm)
#N/A	ATS-348S	ASKEY	2006/1/1	EL-08L, 600:432, 1650V, PCMCIA (OFFSET 1.2mm)
#N/A	ATS-349	CIS	2006/1/1	EL-8, 600:287, 1650V (671-8481)
CTP30801PA	ATS-350	AMBIT	2006/1/5	EL-8, 600:290, 1250V, FOR 56Kbps PCMCIA (OFFSET 1.4mm, 8/8 PINS)(MMT202)
CTP30801AA	ATS-350B	ACTIONTEC	2006/1/3	EL-8, 600:290, 1250V, FOR 56Kbps PCMCIA (OFFSET 2.4mm, 8/8 PINS)(MMT202)
#N/A	ATS-351	登壹	2006/1/1	EL-17, 600:320 1875V, SMD IEC950 (82074)
#N/A	ATS-352	登壹	2006/1/1	EL-17, 600:523 1875V, SMD IEC950 (82081)

#N/A	ATS-353	TAINET	2006/1/1	CT-23/11, HDSL 1.8SP:1CT, 2.06mH, 1168K (LEVEL ONE SK70704), 2000V (PE-68650)
#N/A	ATS-354A	WELL	2006/1/1	LABEL REVERSE OF ATS-354
#N/A	ATS-354B	WELL	2006/1/1	EL-16, 600:301, 1250V, COST DOWN OF ATS-354
#N/A	ATS-354BC	UNIDUX	2006/1/1	ATS-354B W/H CAP
#N/A	ATS-354BCN	UNIDUX	2006/1/1	LEAD FREE OF ATS-354BC
CTP316001A	ATS-354BN	UNIDUX	2005/12/21	LEAD FREE OF ATS-354B
#N/A	ATS-354C	TAICOM	2006/1/1	UL1950 OF ATS-354B
#N/A	ATS-355	CIS	2006/1/1	CT-23/11, ADSL, 1SP:1SP, 2000V, FOR ALCATEL MTK-20131 (PE-B2038)
#N/A	ATS-356	CIS	2006/1/1	CT-18/11, ADSL, 1CT:1, 1500V, FOR POTS L/P FILTER (PE-B2024)
CTP314006A	ATS-357	YANG MEI	2006/1/9	EL-14, 600:1200SP, 1250V
CTP022000A	ATS-358	BCL	2005/12/22	EE-22, 600:470, 80mADC, 1650V, UL1950 (ATS-138 UL1950)
#N/A	ATS-358A	普達	2006/1/1	EE-22, 600:301, 80mADC, 2000V, UL1950 (MIT6120)
#N/A	ATS-358B	CERMETEK	2006/1/1	EE-22, 600:470, 80mADC, 1650V, UL1950 (DCR 300 OHM EACH)
#N/A	ATS-358N	MULTI-TECH	2006/1/1	LEAD FREE OF ATS-358
#N/A	ATS-359	AMC	2006/1/1	CT-23/11, 1SP:1CT, 2mH, 1500V, HDSL 1168K FOR BT8952 (PE-68622)
CTV115000A	ATS-360	冠宇	2006/1/2	EFD-15, 24V RINGER FOR PD5019, 102:55:19
CTVA15001A	ATS-360-1	ATECH	2005/12/22	ATS-360 W/O MARKING
#N/A	ATS-361	TAINET	2006/1/1	RM-4, ADSL-LT, 96uH/250mA, FOR STM (1AB069320017)
CTA808000A	ATS-362	TAINET	2006/1/9	RM-8, ADSL-LT, 409.5uH, FOR STM (1AB021260113)
CTA410002A	ATS-363	TAINET	2006/1/9	EP-10, ADSL-LT, 860uH, FOR STM (1AB018970018)
#N/A	ATS-363A	JU-HUNG	2006/1/1	EP-10, ADSL-LT, 860uH, FOR STM (T60405-U6369-X002)
#N/A	ATS-364	TAINET	2006/1/1	RM-5, ADSL-LT, 91uH, FOR STM (1AB071110007)
#N/A	ATS-364A	CIS	2006/1/1	EP-7, ADSL-LT, 91uH, FOR STM (1AB023630017)
#N/A	ATS-365	TAINET	2006/1/1	RM-5, ADSL-LT, 500uH, FOR STM (1AB071110008)
#N/A	ATS-365A	CIS	2006/1/1	EP-7, ADSL-LT, 500uH, FOR STM (1AB023630016)
#N/A	ATS-366	OEP	2006/1/1	EL-16, 600:511, 3750V (EMIT-200L)
#N/A	ATS-367	GVC	2006/1/1	EL-16, 600:360, 1250V
CTP308009A	ATS-368	華鼎	2005/12/21	TRANSFORMER, ATS-368, POTS, EL-8, 5K:50, 3750V

CTP30803DA	ATS-368R	華鼎	2006/10/25	TRANSFORMER, ATS-368R, POTS, EL-8, ROHS OF ATS-368
CTP316004A	ATS-369	SYSTEM	2005/12/21	EL-16, 600:374, 1250V, LOW PROFILE
CTP316007A	ATS-369A	ATECH	2005/12/21	EL-16, 600:374, 1250V, COST DOWN OF ATS-369
#N/A	ATS-369ABE	BOWMAN	2006/1/1	SAME AS ATS-369A
#N/A	ATS-369AN	光寶	2006/1/1	LEAD-FREE OF ATS-369A
CTP31600HA	ATS-369AR	凱碩	2005/12/28	ROHS OF ATS-369A
CTP316000E	ATS-369AR1	ATECH	2007/1/30	ROHS OF ATS-369A COSTDOWN
#N/A	ATS-369B	捷超	2006/1/1	EL-16, 600:374, 1250V, COST DOWN OF ATS-369
CTP31600GA	ATS-369R	虹光	2005/12/28	ROHS OF ATS-369
CTSG08000A	ATS-370	ACEEX	2006/1/1	MODULE, ISDN-S0, 1CT:1, 1500V (銘電 TI1804D)
CTSG08001A	ATS-370AR	凱碩	2007/3/14	MODULE, ISDN-S0, 1ST:1ST, 1500V
CTSG08000D	ATS-370R	中磊	2006/1/25	ROHS OF ATS-370 (銘電 TI1804DR)
#N/A	ATS-371	CARINDA	2006/1/1	TRANSFORMER, ATS-371, ADSL, EP-13, 2SP:1, 2mH, DIP UL1950, 1168Kbps (50050) W/H FRAME
CTA41302RA	ATS-371A	展達	2006/1/10	TRANSFORMER, ATS-371A, ADSL, EP-13, EP-13, 2SP:1, 2mH, DIP UL1950, 1168Kbps (C1401)(B1020A) W/O FRAME
#N/A	ATS-371AR	展達	2006/1/1	TRANSFORMER, ATS-371AR, ADSL, EP-13, 2SP:1, 2mH, DIP, UL1950, 1168Kbps (C1401)(B1020A) W/O FRAME
#N/A	ATS-371B	ELCO	2006/1/1	TRANSFORMER, ATS-371B, ADSL, EP-13, 2SP:1, 2mH, SMD UL1950, 1168Kbps (B1040A) W/O FRAME
CTA413038A	ATS-371BR	COMPONENTES	2006/4/28	TRANSFORMER, ATS-371BR, ADSL, EP-13, 1168Kbps (B1040A) W/O FRAME, 2SP:1, 2mH, SMD UL1950, ROHS
#N/A	ATS-372	TAINET	2006/1/1	RM-4, ADSL-NT, 235uH, FOR STM
#N/A	ATS-373	TAINET	2006/1/1	RM-4, ADSL-NT, 283uH, FOR STM
#N/A	ATS-374	TAINET	2006/1/1	EP-10, ADSL-NT, 11mH, FOR STM
#N/A	ATS-375	TAINET	2006/1/1	RM-8, ADSL-NT, 110uH, FOR STM
CTA41302SA	ATS-376	TAINET	2006/1/11	EP-13, 1SP:1SP, ADSL-NT, 470uH, UL1950, FOR ALCATEL
CTA413014A	ATS-376A	TAINET	2006/1/5	ATS-376 W/H STANDOFF
CTA41300AA	ATS-376T	TURBO	2005/12/22	ATS-376 W/H KAPTON TAPE ON CORE
#N/A	ATS-377	AMBIT	2006/1/1	EL-8, 600:287, 1650V (OFFSET 2.4mm, CREEPAGE 2.5mm)
CTP319000A	ATS-378	ASKEY	2005/12/22	EL-19, 600:360, 3750V
CTP31900PA	ATS-378A	TURBO	2006/1/9	ATS-378 W/H TC2901 MARKING
#N/A	ATS-378N	歲強	2006/1/1	LEAD FREE OF ATS-378

#N/A	ATS-378R	VESTELL	2006/1/1	ROHS OF ATS-378
#N/A	ATS-379	CARINDA	2006/1/1	EL-2829, 600:412, 3750V
#N/A	ATS-380	聯合光纖	2006/1/1	RM-6, DDS, 135:115, 1250V
CTT806000A	ATS-381	聯合光纖	2005/12/22	RM-6, DDS, 135:120, 1250V
CTT806001A	ATS-381R	聯合光纖	2006/10/31	TRANSFORMER, ATS-381R, RM-6, DDS, 135:120, 1250V, RoHS OF ATS-381, W/O CLIP
CTA41301UA	ATS-382	ASKEY	2006/1/9	EP-13, ADSL, 1.2SP:1CT, 3.96mH, 1500V (50280)
#N/A	ATS-383	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1.8CT, 3.96mH, 1500V (50281)
CTA41301VA	ATS-384	ASKEY	2006/1/9	EP-13, ADSL, 1SP:1.8SP, 3.96mH, 1875V (50533)
CTA413015A	ATS-385	GVC	2006/1/5	EP-13, ADSL POTS SPLITTER, 5.5mH, W/H FRAME (C1444)(40131)
CTA41301WA	ATS-385A	TURBO	2006/1/9	EP-13, ADSL POTS SPLITTER, 5.5mH, W/O FRAME (C1444)(40131)
#N/A	ATS-386	震華	2006/1/1	LP-23*8, HDSL, 3000V (LUCENT 2776C)
CTA41301XA	ATS-397	ASKEY	2006/1/9	EP-13, ADSL, 1SP:1SP, 1.27mH, 1000V DIP (50623)
CTAF23000A	ATS-398	紹輔	2006/1/9	CT-23/11, 2SP:1CT, 2mH, 1500V, HDSL 1168K FOR BT8921/BT8970 (PE-69301)
CTAF23001A	ATS-398A	紹輔	2006/1/9	CT-23/11, 2SP:1CT, 2mH, UL1950, HDSL 1168K FOR BT8921/BT8970
CTP31601QA	ATS-399	RTECH	2006/1/9	TRANSFORMER, ATS-399, POTS, EL-16, 600:500, 1500V (671-9713)
CTP31601YA	ATS-399R	RDL	2006/5/26	TRANSFORMER, ATS-399R, POTS, EL-16, 600:500, 1500V (671-9713)
#N/A	ATS-400	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1SP, 25.5mH, UL1950 DIP (DT32-2005)
#N/A	ATS-401	台林	2006/1/1	EL-2425, 600:374, UL1950 W/H CAP
#N/A	ATS-402	PRO-SOURCE	2006/1/1	ER-11/5, 10:3:3, 500V (671-7126)
#N/A	ATS-402R	德士通	2006/1/1	TRANSFORMER, ATS-402R, OTHER, ER-11/5, 10:3:3, 500V, ROHS OF ATS-402 (671-7126)
#N/A	ATS-403	PRO-SOURCE	2006/1/1	ER-9.5, 600:487, 1250V (671-8234)
#N/A	ATS-403R	德士通	2006/1/1	TRANSFORMER, ATS-403R, POTS, ER-9.5, 600:487, 1250V, ROHS OF ATS-403 (671-8234)
#N/A	ATS-404	捷超	2006/1/1	EL-19, 600:360, 3750V (SAME AS ATS-378)
#N/A	ATS-405	ACEEX	2006/1/1	MODULE, ISDN-S0, 1CT:2CT, 2000V, SMD (ATS-303臥式) (UT28624-TS)
#N/A	ATS-405A	連宇	2006/1/1	MODULE, ISDN-S0, 1CT:2CT, 2000V, DIP OF ATS-405
CTSG06002A	ATS-405B	連宇	2005/12/22	MODULE, ISDN-S0, 1CT:2CT, 2000V, 和ATS-405A腳位不同
CTS808002A	ATS-406	ZYXEL	2006/1/5	RM-8, 1:1.6SP, 14.5mH, FOR SIEMENS 2091 ISDN-U, 2000V
#N/A	ATS-407	SICOVEND	2006/1/1	EP-13, HDSL 135:25.5, 3.6mH, 1875V (50681)

#N/A	ATS-408	太極	2006/1/1	EP-13, 4mH*2, 12KHZ LPF (BEL 1000-03)
CTT407001A	ATS-409	TARD	2006/1/9	EP-7, T1/E1/ISDN, 1:1, 2.2mH, 1500V (TEW5721-2)
CTT407002A	ATS-410	TARD	2006/1/9	EP-7, T1/E1/ISDN, 1CT:2CT, 4.8mH, 1500V (TEW5721-1)
CTP31601RA	ATS-411	BCL	2006/1/9	EL-16, 600:560, 2120V (P3356)
#N/A	ATS-412	捷超	2006/1/1	EL-16, 600:360, 3750V (613347)
CTP710003A	ATS-413	舜全	2006/1/5	ER-9.5, 10uH*4, 500V (LPE-4841-100MB)
CTX410001A	ATS-414	振辰	2006/1/9	EP-10, 75:100, BALUN FOR CCD CAMERA
#N/A	ATS-415	ZYXEL	2006/1/1	RM-5, 134.5uH, EURO ADSL (1AB070920019)
CTSG09000A	ATS-416	ASKEY	2006/1/9	ISDN-S0, FERRITE 1:2SP, PCMCIA (H=4.7mm), 1500V (UT21023)
#N/A	ATS-416A	ABOCOM	2006/1/1	ISDN-S0, AMORPHOUS 1:2SP, PCMCIA (H=3.5mm), 1500V (THU10A01)
#N/A	ATS-417	ASKEY	2006/1/1	EP-13, ADSL 1SP:1SP 407.5uH, UL1950 DIP (50012)(821-00270)
#N/A	ATS-418	惠強/邦迪	2006/1/1	UI-11.7, 10:10:3:1800, 4W DC/AC (FDK T-1229-081)
#N/A	ATS-418A	華容	2006/1/1	UI-11.7, 7:7:3:1800, 4W DC/AC (FDK T-1229-085)
#N/A	ATS-418B	華容	2006/1/1	UI-11.7, 11:11:3:1800, 4W DC/AC (FDK T-1229-079)
#N/A	ATS-418C	紹輔	2006/1/1	UI-11.7, 9:9:3:1800, 4W DC/AC (FDK T-1229-237CO)(FDK T-1229-107)
#N/A	ATS-419	EURLI	2006/1/1	EL-13, 600:150, 3750V
#N/A	ATS-420	TAINET	2006/1/1	RM-5, 135SP: 52, ISDN-UK0, FOR PEB2091 (B78386-P1114-A5)
CTA41301YA	ATS-421	ASKEY	2006/1/9	EP-13, ADSL, 1SP:1SP 407.5uH, UL1950 SMD (50522)(FOR Globespan)
CTA41301ZA	ATS-422	CIS	2006/1/9	EP-13, ADSL, 1.2SP:1SP 3.96mH, IEC950 (50531)
#N/A	ATS-422A	JU HUNG	2006/1/1	EP-13, ADSL, 1.2SP:1SP, IEC950 (50532)
CTA413016A	ATS-423	ASKEY	2006/1/5	EP-13, ADSL, 1SP:1SP 440uH, SMD, IEC950, TRIPLE WIRE (C1308)
CTA41300KA	ATS-423S	ITEX	2005/12/22	EP-13, ADSL, 1SP:1SP 456uH, SMD, IEC950, CREEPAGE (C1308)
#N/A	ATS-424	CITY SHINE	2006/1/1	TRANSFORMER, ATS-424, ADSL, EP-13, 1SP:1SP, 5mH, DIP, IEC950 (50366)
#N/A	ATS-424A	CITY SHINE	2006/1/1	EP-13, ADSL, 1SP:1SP 5mH, SMD, IEC950 (50521)
#N/A	ATS-424B	ASKEY	2006/1/1	TRANSFORMER, ATS-424B, ADSL, EP-13, 1SP:1SP 5mH, SMD, IEC950, FOR CENTILLIUM (腳位不同)(C1972)
CTA41300LA	ATS-424BA	ASKEY	2005/12/22	ATS-424B W/H BAR CODE MARKING
#N/A	ATS-424C	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1SP 5mH, SMD, IEC950, FOR CENTILLIUM (B2032)
CTA413021A	ATS-424D	AMBIT	2006/1/9	ATS-424B W/H BOSS

CTA413013A	ATS-424E	ASKEY	2006/1/3	EP-13, ADSL, 1SP:1SP 5mH, SMD, IEC950 (TDK U235B014)
#N/A	ATS-424E1	ASKEY	2006/1/1	EP-13, 90Ts OF ATS-424E
#N/A	ATS-424F	ASKEY	2006/1/1	ATS-424E W/H NC-7H CORE
#N/A	ATS-424F1	ASKEY	2006/1/1	ATS-424E W/H NC-5Y CORE
#N/A	ATS-425	ASKEY	2006/1/1	EE-16, 600:301, 1875V, PCMCIA, IEC950 (MEET NEMKO)
#N/A	ATS-426	悅達	2006/1/1	CT-23/11, HDLSL2, 1CT:2SP 1.76mH, 2000V, FOR SK7074X (PE-B1019)
#N/A	ATS-427	AMBIT	2006/1/1	EL-08L, 600:348, 1650V, SMD (ATS-329A H=6mm)
CTA41300MA	ATS-428	ASKEY/ GVC	2005/12/22	EP-13, ADSL, 3.3SP:1SP 800uH, DIP, 2500Vdc (36148)(50950)(PT75613)(6A445)
CTA41300NA	ATS-428A	CONEXANT	2005/12/22	EP-13, SMD OF ATS-428
CTA413000A	ATS-428AN	DIGICOM	2005/12/21	LEAD FREE OF ATS-428A
#N/A	ATS-428AR	DIGICOM	2006/1/1	ROHS OF ATS-428A
#N/A	ATS-428B	台林	2006/1/1	EP-13, ADSL, 3.3SP:1SP 800uH, DIP, UL1950 (C1571)
#N/A	ATS-428BN	INTERTEX	2006/1/1	ATS-428B W/H NC-10H CORE
CTA413017A	ATS-428C	展達	2006/1/5	EP-13, SMD OF ATS-428B (C1658)
#N/A	ATS-428D	INTERTEX	2006/1/1	EP-13, ADSL, 3.3SP:1SP 800uH, DIP, 4KVAC
CTA41303BA	ATS-428DR	捷超	2006/7/4	TRANSFORMER, ATS-428R, EP-13, ADSL, 3.3SP:1SP 800uH, DIP, 4KVAC, ROHS
#N/A	ATS-429	MIT	2006/1/1	EP-13, ADSL CO, 2SP:1SP 410uH, 1500V, DIP (PE-B2068)
#N/A	ATS-430	悅達	2006/1/1	EP-13, HDLSL2, 135:25.5, 2mH, 1875V, DIP (50730)
#N/A	ATS-431	MIT	2006/1/1	EFD-15, 48V RINGER FOR PD5019
#N/A	ATS-432	BCL	2006/1/1	EE-5, 1.35:1, 1500V, SMD (50398)
#N/A	ATS-433	MIT	2006/1/1	EFD-15, 24V RINGER FOR PD5019
#N/A	ATS-434	OEP	2006/1/1	MODULE, ISDN-S0, DUAL 1:1:5, W/H CHOKE, 3000V (T60407-L5030-X007)(LT-S402C)
#N/A	ATS-435	OEP	2006/1/1	MODULE, ISDN-S0, DUAL 1:1:4, W/H CHOKE, 3000V (LT-S400C)
#N/A	ATS-436	HJC	2006/1/1	EL-2829, 600:1200CT, 1250V
#N/A	ATS-436A	HJC	2006/1/1	EL-2829, 600CT:1200CT, 1250V
CTX219007A	ATS-437	TODOS	2006/1/9	EI-19*5, 600CT:600, 2500V
#N/A	ATS-438	BCL	2006/1/1	EP-13, ADSL 3.3SP:1 800uH, 1250V (50701)
#N/A	ATS-438A	BCL	2006/1/1	EP-10, ADSL 3.3SP:1 800uH, 1250V (EP-10 of ATS-438)

#N/A	ATS-439	ATECH	2006/1/1	EFD-15, 12V RINGER FOR PD5019
CTX115003A	ATS-439-1	ATECH	2006/1/9	ATS-439 W/O MARKING
#N/A	ATS-440	GVC	2006/1/1	EP-13, 100:50, 1500V, FOR TI ADSL CHIPSET 5000, DIP (SCHOTT 35625)
#N/A	ATS-440A	TURBO	2006/1/1	EP-13, 100:50, 1500V, FOR TI ADSL CHIPSET 5000, SMD
#N/A	ATS-441	DTM	2006/1/1	EL-17, LXT400 DDS, 135SP:105, 1250V SMD (82092)
CTK413003A	ATS-442	CIS	2006/1/9	EP-13, 4mH*2 CHOKE, FOR ATM-050
#N/A	ATS-442A	SHAOHUI	2006/1/1	EF-16, 4mH*2 CHOKE, FOR SPLITTER
CTA41303GA	ATS-442R	鐘萊電子	2006/11/23	TRANSFORMER, ATS-442R, DSL, EP-13, ROHS OF ATS-442
#N/A	ATS-443	CIS	2006/1/1	EP-13, ADSL 1SP:1SP 1.025mH, 1500V UL1950 (ACPE10ST2S)(ALIT10ST21S)(MB07678-3)
#N/A	ATS-444	旭捷	2006/1/1	CT-23/11, HDSL 784K FOR BT8921/BT8970, 1CT:2SP, 1500V
#N/A	ATS-445	ZYXEL	2006/1/1	TRANSFORMER, ATS-445AR, ISDN, EP-13, U-INTERFACE, 1.65SP:1CT, 15.5mH, FOR PEB-2091, 1500V MEET IEC950 (T4031)
#N/A	ATS-445AR	PLEXUS	2006/1/1	TRANSFORMER, ATS-445, ISDN, EP-13, U-INTERFACE, 1.65SP:1CT 16mH, FOR PEB-2091, 1500V, ROHS (TALEMA EPU-100A)
CTA413018A	ATS-446	ASKEY	2006/1/5	EP-13, ADSL, 1SP:1SP 440uH, UL1950 SMD (C1641)(FOR Globespan)
#N/A	ATS-446A	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1SP 440uH, UL1950 (改良版)
#N/A	ATS-447	ZYXEL	2006/1/1	EP-13, ADSL, 1SP:1SP 430uH, IEC950 SMD (B2088)(FOR Globespan)
#N/A	ATS-448	JU-HUNG	2006/1/1	CT-23/11, 6mH*2/100mA, ADSL POTS SPLITER (B2023)
#N/A	ATS-449	JU-HUNG	2006/1/1	EP-13, ADSL, 1.4SP:1SP 474uH, IEC950 (50800R)(FOR Globespan GS-7066-174-002)
CTSG06000D	ATS-450	Pro-Nets	2005/12/22	MODULE, ISDN-S0, DUAL 1SP:1SP, W/H 500uH CHOKE, 16PINS SMD, 2000V (UT20463-50TS)(銘電TI1603S)
CTSG06002D	ATS-450A	Digicom	2006/1/24	MODULE, ISDN-S0, DUAL 1SP:2SP, W/H 500uH CHOKE, 16PINS SMD, 1500V (T60407-L5026-X010)(銘電TI1615S)
#N/A	ATS-450A1	聯磁	2006/1/1	ATS-450A W/H CUSTOMER MARKING (銘電 TI1615S-1)
#N/A	ATS-450A1R	聯磁	2006/1/1	ROHS OF ATS-450A1 (銘電 ??)
CTSG06003D	ATS-450AR	Digicom	2006/1/24	ROHS OF ATS-450A (銘電 ??)
#N/A	ATS-450B	ATECH	2006/1/1	MODULE, ISDN-S0, DUAL 1SP:2.5SP, W/H 5mH CHOKE, 16PINS SMD, 1500V (T60407-L5026-X015)(銘電TI1637S)
CTSG06001D	ATS-450BN	MULTI-TECH	2006/1/1	LEAD FREE OF ATS-450B(銘電 TI1637S-W)
#N/A	ATS-450C	聯磁	2006/1/1	ATS-450 W/H CUSTOMER MARKING TFA2112-120 (銘電TI1603S-1)
#N/A	ATS-450CR	聯磁	2006/1/1	ROHS OF ATS-450C (銘電 ??)
CTSG060004	ATS-450R	Digicom	2006/4/12	TRANSFORMER, ATS-450R, MODULE, ISDN-S0, DUAL 1SP:1SP, W/H 500uH CHOKE, 16PINS SMD, 2000V (UT20463-50TS)(銘電TI1603S) ROHS
#N/A	ATS-451	ASKEY	2006/1/1	MODULE, ISDN-S0, DUAL 1SP:2SP, W/H 280uH CHOKE, 16PINS SMD, 3000V (UT20465-28TS)

#N/A	ATS-452	COMTREND	2006/1/1	EP-13, HDLSL2, 5SP:1, 1500V (50971)
#N/A	ATS-453	新眾	2006/1/1	MODULE, ISDN-S0, 1CT:1CT & 1CT:2CT, 1500V (LANKOM)
#N/A	ATS-454	JU-HUNG	2006/1/1	P-13, ADSL FOR ACATEL, 1SP:1SP 440uH, 1500V (C1603)
CTA41300WA	ATS-455	ATECH	2006/1/2	EP-13, 5.6mH*2 CHOKE FOR ATF016 & ATF016A
#N/A	ATS-455A	ATECH	2006/1/1	EP-13, 5.5mH*2 CHOKE FOR POTS FILTER, SMD (TDK PCAEP13-U002Y)
CTA41302TA	ATS-456	JU-HUNG	2006/1/11	EP-13, ADSL 1SP:1.1SP 1.2mH SMD, UL1950 (51025)
#N/A	ATS-456A	環信	2006/1/1	EP-13, ADSL 1SP:1.1SP 1.2mH, DIP, UL1950 (51080)
#N/A	ATS-457	COMTREND	2006/1/1	EP-13, ADSL 2.2SP:1 3mH, IEC950 (50974)
#N/A	ATS-458	MIT	2006/1/1	EE-5, T1/E1, 135CT:75/120, 1500V (LUCENT 2795N)
#N/A	ATS-459	COEV	2006/1/1	EP-13, 4SP:1 2mH, 2050V, IEC950 (C1620)
#N/A	ATS-460	ASKEY	2006/1/1	EL-2425, 600:301, 1875V (82098)
#N/A	ATS-461	NORSCAN	2006/1/1	EL-14, 600:50, 1250V
#N/A	ATS-462	CIS	2006/1/1	EPC-19, ADSL, 1875V, IEC950 (TDK TRTEPC19-U016A)
CTA519000A	ATS-462A	CIS	2006/1/9	EPC-19, ADSL, 1875V, IEC950 (TDK TRTEPC19-U016B)
#N/A	ATS-462AG	GVC	2006/1/1	DIFFERENT PIN ASSIGNMENT OF ATS-462A W/H CAP
CTA519001A	ATS-462B	MOTOROLA	2006/1/9	EPC-19, ADSL, 1875V, IEC950 (MB07678-1)
CTA413019A	ATS-463	CIS	2006/1/5	EP-13, ADSL, 2SP:1SP 409.5uH, 1875V, IEC950 (50702-1)
CTA413023A	ATS-463A	AMBIT	2006/1/9	EP-13, ADSL, 2SP:1SP 409.5uH, 1875V, IEC950 (50702)
#N/A	ATS-463R	亞旭	2006/1/1	ROHS OF ATS-463
#N/A	ATS-464	CARINDA	2006/1/1	EP-13, ADSL, 1SP:1SP 472uH, 1875V, SMD (APC41199S)
CTS213000A	ATS-465	INFRA	2006/1/3	EI-12.5, ISDN (MATSUSHITA ETE13K38AY)
CTA41301AA	ATS-466	TURBO	2006/1/5	EP-13, ADSL 1SP:1.1SP, 1.9mH, 1500V DIP, IEC950, FOR AD20msp930 (B2136)
#N/A	ATS-466A	SAYTEC	2006/1/1	EP-13, ADSL 1SP:1.1SP, 1.75mH, 1500V DIP, IEC950, FOR AD20msp930 (B2136)(70Z7136)
#N/A	ATS-467	TODOS	2006/1/1	TRANSFORMER, ATS-467, ISDN, POT-18/11, ISDN-U, 1.65SP:1CT (PE-68669)(65575)
#N/A	ATS-467R	台聯	2006/1/1	TRANSFORMER, ATS-467R, ISDN, POT-18/11, ROHS OF ATS-467
#N/A	ATS-468	INSTRUMECH	2006/1/1	EL-19, 10K:2K, 1250V
#N/A	ATS-469	INSTRUMECH	2006/1/1	EL-19, 1K:1K, 1250V
CTX31900BA	ATS-469A	INSTRUMECH	2006/1/9	EL-19, 1KCT:1K, 1250V

#N/A	ATS-470	奇磊	2006/1/1	EL-14, 2K:1K, 1200V
CTA41301BA	ATS-471	TURBO	2006/1/5	EP-13, ADSL, 1SP:1SP 430uH, SMD, IEC950 (FOR ITEX/Globespan)(LAL0011)
CTA413001A	ATS-471A	AMBIT	2005/12/21	EP-13, ADSL, 1SP:1SP 430uH, SMD, IEC950 (PIN1-3, 2-4, 10-8, 9-7)
CTA41300RA	ATS-471AN	鴻海新竹	2005/12/26	LEAD FREE OF ATS-471A
CTA41302UA	ATS-471T	TURBO	2006/1/11	ATS-471 W/H KAPTON TAPE ON CORE
CTA413029A	ATS-472	ORIENT	2006/1/9	EP-13, 1.95:1 1.5mH, 1500V, FOR TI ADSL CHIPSET 3000, DIP (SCHOTT 33818)
CTA41301CA	ATS-472A	GVC	2006/1/5	EP-13, 2:1 1.5mH, 1875V, FOR TI ADSL CHIPSET 3000, DIP (C2030)
CTA41301DA	ATS-472B	TI	2006/1/5	EP-13, 2:1 1.5mH, 1875V, FOR TI ADSL CHIPSET 3000, SMD OF ATS-472A
CTA41302AA	ATS-472C	TI	2006/1/9	EP-13, 1.95:1 1.5mH, 1500V, FOR TI ADSL CHIPSET 3000, SMD OF ATS-472 (SCHOTT 33828)
#N/A	ATS-472D	大霸	2006/1/1	EP-10/7.5, SMALL SIZE OF ATS-472C
#N/A	ATS-473	PCTEL	2006/1/1	EP-13, ADSL, 1SP:1SP 1.4mH, IEC950 DIP (50494)
#N/A	ATS-473A	PCTEL	2006/1/1	EP-13, ADSL, 1SP:1SP 1.4mH, IEC950 (腳位不同)
#N/A	ATS-474	NORSCAN	2006/1/1	EL-17, 600:50, 1250V, SMD
#N/A	ATS-475	ASCOM	2006/1/1	RM-6, ISDN-UK0, 1.6SP:1CT 13.3mH, 2KV
#N/A	ATS-476	COMTREND	2006/1/1	TRANSFORMER, ATS-476, HDLSL, EP-13, 5.4SP:1 3mH, 2500V, IEC950 (C1626)
CTA41303AA	ATS-476R	COMPONENTES	2006/6/12	TRANSFORMER, ATS-476R, HDLSL, EP-13, ROHS OF ATS-467
CTA41302CA	ATS-477	AMBIT	2006/1/9	EP-13, 2SP:1SP 100uH, 2050VAC, IEC950, W/O STAND-OFF (C1601)
#N/A	ATS-477A	AMBIT	2006/1/1	EP-13, 2SP:1SP 100uH, 2050VAC, IEC950, W/H STAND-OFF (C1601)
CTA41301EA	ATS-477B	AMBIT	2006/1/5	EP-13, 2SP:1SP 100uH, 2050VAC, IEC950, W/H STAND-OFF (AP1129)
#N/A	ATS-478	FICO	2006/1/1	EP-13, 6mH*2, 1500V, POTS FILTER, DIP (DT35-2005)
#N/A	ATS-478A	FICO	2006/1/1	EP-13, 6mH*2, 1500V, POTS FILTER, SMD (DT35-2005)
#N/A	ATS-479	BCL	2006/1/1	EL-19, 4000:600, 1500V (671-1619)
CTP31900RA	ATS-479R	JK AUDIO	2006/2/20	ROHS OF ATS-479
CTP025000A	ATS-480	BCL	2005/12/21	EE-2425, 2W-4W HYBRID, W/H 80mADC (671-1898)
CTP025006A	ATS-480R	CONNECT	2006/2/20	ROHS OF ATS-480
#N/A	ATS-481	環信	2006/1/1	EP-13, ADSL, 2SP:1SP 1.2mH, UL1950, DIP (51040)
#N/A	ATS-482	唯訊	2006/1/1	EPC-19, ISDN, 1:1.5CT, 85.5mH, UL1950 (BEL 2754H2)
#N/A	ATS-483	和緯	2006/1/1	EPC-19, HDLSL, 1SP:1SP 23mH, UL1950 (BEL 2776C)

CTX413003A	ATS-483A	紹輔	2006/1/9	EP-13, HD SL, 1SP:1SP 23mH, SMD UL1950 (BEL 2776C)
CTX413004A	ATS-483AR	COMPONENTES	2006/4/6	ROHS OF ATS-483A
#N/A	ATS-483B	TAINET	2006/1/1	DIP OF ATS-483A
#N/A	ATS-484	凡允	2006/1/1	EFD-20, RADSL, 1SP:1SP 440uH, FOR GLOBESPAN CPE, UL1950 (BEL 2810F)
#N/A	ATS-485	AMBIT	2006/1/1	EL-08L, 600:240, 1650V, PCMCIA DUMMY PINS (OFFSET 2.4mm,PIN TO PIN 21.3mm)
#N/A	ATS-486	FICO	2006/1/1	CT-23/11, ISDN-U, 1.5SP:1CT, 27.3mH, UL1950 (PE-65583)
#N/A	ATS-486A	雅企	2006/1/1	CT-23/11, ISDN-U, 1.5SP:1CT, 27.3mH, UL1950 (PE-65584)
#N/A	ATS-486B	照銘	2006/1/1	SMD TYPE OF ATS-486A (PE-T4004)
#N/A	ATS-487	宏网	2006/1/1	EL-16, 600:332, 1500V (HPR-6490)
#N/A	ATS-487CR	榮群	2008/2/18	TRANSFORMER, ATS-487CR, POTS, EL-16, 600:332, 1500V, ATS-487 COST DOWN, ROHS (HPR-6490R)
CTP316026A	ATS-488	宏网	2006/1/2	EL-16, 600:600, 1500V (HPR-6572)
#N/A	ATS-488A	AMBIT	2006/1/1	EL-16, 600:600, 1250V, COST DOWN OF ATS-488
#N/A	ATS-488B	ASKEY	2006/1/1	EL-16, 600:600, 1500V (LSE AC1004)
CTP31602AA	ATS-488R	越智	2006/1/27	ROHS OF ATS-488
CTA120000A	ATS-489	紹輔	2005/12/22	TRANSFORMER, ATS-489, DSL, EFD-20, HD SL, 1SP:2SP 27mH, UL1950 (50302)(P1136)
CTA120001A	ATS-489AR	雅企	2007/3/9	TRANSFORMER, ATS-489AR, DSL, EFD-20, 1CT:1CT, ROHS
CTA120002A	ATS-489LR	雅企	2007/3/5	TRANSFORMER, ATS-489LR, DSL, EFD-20, 23mH, ATS-489 LOOSEN L SPEC., ROHS
#N/A	ATS-490	ARTBO	2006/1/1	EP-7, 1.414CT:1, 2.2mH, 1500V, FOR T1/E1/ISDN (50479)
#N/A	ATS-500	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1SP 2.6mH, 1650V SMD (B2251)
CTA806001A	ATS-501	ATECH	2006/1/5	RM-6, 3mH*2, FOR ATF021
#N/A	ATS-501A	台林	2006/1/1	ATS-501 SMD TYPE
CTA806002A	ATS-502	ATECH	2006/1/5	RM-6, 6mH*2, FOR ATF021
#N/A	ATS-502A	台林	2006/1/1	ATS-502 SMD TYPE
CTA41301FA	ATS-503	ASKEY	2006/1/5	EP-13, ADSL DMT 2SP:1SP 440uH, UL1950 1875V (C1905)
CTA41301GA	ATS-503A	AMBIT	2006/1/5	EP-13, ADSL DMT 2SP:1SP 440uH, UL1950 1875V (C1905)(BOBBIN W/H BOSS)
CTA41301HA	ATS-503B	AMBIT	2006/1/5	EP-13, ADSL DMT 2SP:1SP 440uH, UL1950 1875V (C1905-1)(BOBBIN W/H BOSS)
#N/A	ATS-503BR	鴻海	2006/1/1	ROHS OF ATS-503B
CTA407000A	ATS-504	AMBIT	2005/12/22	EP-7, GLOBESPAN DLC 2:1, 0.53mH, 600V SMD (C2161)

#N/A	ATS-505	泰華	2006/1/1	EL-14, 10K:500, 1000V
#N/A	ATS-506	ASKEY	2006/1/1	EP-13, ADSL, 1SP:1SP 1.2mH, 1875V DIP (C1358)
#N/A	ATS-507	ASKEY	2006/1/1	EP-7, 0.5mH*2 CHOKE (C1646)
#N/A	ATS-508	台林	2006/1/1	EL-16, 536:600/900, UL1950
#N/A	ATS-508A	台林	2006/1/1	EL-2829, 536:600/900, UL1950
#N/A	ATS-509	GVC	2006/1/1	EP-13, 1mH*2, 1500V (E&E 821-00485)(T/B TBCM-0485)
#N/A	ATS-510	AMBIT	2006/1/1	EP-13, ADSL, 1SP:1SP 0.85mH, DIP, IEC950 (C2181)
CTA806003A	ATS-511	ATECH	2006/1/5	RM-6, 4mH*2, FOR ATF023(A)
CTA806000A	ATS-511A	嘉馬	2005/12/21	RM-6, 4.5mH*2
CTA41302WA	ATS-512	ASKEY	2006/1/11	EP-13, ADSL, 1SP:2SP 5mH, SMD, IEC950, FOR CENTILLIUM 5V
CTA41301IA	ATS-512A	GVC	2006/1/5	EP-13, ADSL, 1SP:2.125SP 5mH, SMD, IEC950, FOR CENTILLIUM 5V (C1926)
CTA41302VA	ATS-512B	AMBIT	2006/1/11	ATS-512 W/H BOSS
CTA41303NA	ATS-512DR	鼎瀚	2007/7/9	RoHS OF ATS-512, DIP
CTA41302YA	ATS-512R	鼎瀚	2006/2/6	ROHS OF ATS-512
#N/A	ATS-513	中福	2006/1/1	EP-13, ADSL, 1SP:3.3SP 800uH, SMD, IEC950, FOR CONEXANT 5V (E&E 821-00363)
#N/A	ATS-513A	金寶	2006/1/1	DIP TYPE OF ATS-513
#N/A	ATS-513A1	宏傳	2006/1/1	COST DOWN OF ATS-513A
#N/A	ATS-513AN	INTERTEX	2006/1/1	ATS-513A W/H NC-10H CORE
#N/A	ATS-513B	AMBIT	2006/1/1	ATS-513 W/H BOSS
#N/A	ATS-513C	ACCTON	2006/1/1	EP-13, ADSL, 1SP:3.4SP, DIP, IEC950
CTA41302XA	ATS-513D	ACCTON	2006/1/11	EP-13, ADSL, 1SP:3.071SP, DIP, IEC950
CTA413000A	ATS-513E	AMBIT	2005/12/22	SMD TYPE(W/H BOSS) OF ATS-513D
#N/A	ATS-513ER	鴻海	2006/1/1	ROHS OF ATS-513E
#N/A	ATS-513F	TURBO	2006/1/1	SMD TYPE(W/O BOSS) OF ATS-513D
#N/A	ATS-513G	鴻海	2006/1/1	EP-13, ADSL, 1SP:3SP 800uH, SMD, IEC950, FOR CONEXANT CHIP
#N/A	ATS-514	ASKEY	2006/1/1	EP-13, 4SP:1, 2.07mH SHDSL SMD(W/O BOSS), IEC950, FOR GLOBESPAN (C2208)(51166)
#N/A	ATS-514A	ASKEY	2006/1/1	EP-13, 4SP:1, 2.07mH SHDSL DIP, UL1950 (SCHOTT 38136)
#N/A	ATS-514B	AMBIT	2006/1/1	ATS-514 BOBBIN W/H BOSS

#N/A	ATS-514C	BOURNS	2006/1/1	ATS-514 W/H BOURNS MARKING SM76299
#N/A	ATS-515	HJC	2006/1/1	EP-7, T1/E1, 75:75/100/120, DIP
#N/A	ATS-516	俊驊	2006/1/1	?? 150CT:10K, 500V
#N/A	ATS-517	AMBIT	2006/1/1	EP-13, ADSL, 1SP:1SP, 480uH, SMD, IEC950 (BEL S560-6600-40)
CTA41301JA	ATS-517A	AMBIT	2006/1/5	EP-13, ATS-517 W/O BOSS
#N/A	ATS-518	ASKEY	2006/1/1	RM-6, 2.7mH*2, FOR ATF025
#N/A	ATS-519	金益宏	2006/1/1	EI-25, 600:600, 70mADC, EN60950
#N/A	ATS-520	AMBIT	2006/1/1	EFD-10, ADSL, 1.432:1, SMD, UL1950 (SCHOTT 35065)
CTA410003A	ATS-521	鈦威	2006/1/9	EP-10, ADSL, 1SP:1SP, 375uH SMD, UL1950 (SCHOTT 36313)
CTKB10000A	ATS-522	ASKEY	2005/12/21	UU-10*8*3, COMMON CHOKE, 6mH*2/0.5A
CTKB1000AA	ATS-522R	楊梅	2007/3/15	TRANSFORMER, ATS-522R, COMMON CHOKE, UU-10*8*3, 6mH*2/0.5A, ROHS OF ATS-522
CTA806004A	ATS-523	ATECH	2006/1/9	RM-6, 6mH*2, FOR ATF026
CTA41300PA	ATS-524	AMBIT	2005/12/22	EP-13, ADSL, 1SP:1SP, 102.4uH, SMD(W/H BOSS), IEC950 (AP0840)
CTA41300QA	ATS-524A	享承	2005/12/22	EP-13, ADSL, 1SP:1SP, 102.4uH, SMD(W/O BOSS), IEC950 (PIN SAME AS ATS-471A)
#N/A	ATS-524B	AMBIT	2006/1/1	LOW DCR OF ATS-524A, BOBBIN W/H BOSS
#N/A	ATS-525	HJC	2006/1/1	EE-13, 600:1200CT, IEC950
#N/A	ATS-526	ATECH	2006/1/1	EP-13, 2mH*2, DIP, FOR ATF024(A)
#N/A	ATS-527	AMBIT	2006/1/1	EP-13, ADSL, 2SP:1SP 410uH DIP, IEC950 (C1181)
CTA410000A	ATS-528	AMBIT	2005/12/22	EP-10, CHOKE 134.5uH SMD (AP0801)
#N/A	ATS-528A	AMBIT	2006/1/1	EP-7 OF ATS-528 (TRTEP7S-U090C001-25)
CTA607000A	ATS-528B	瓏葳	2005/12/22	EPX-7 OF ATS-528 (TRTEP7S-U090C001-25)(TRTEP7S-U143C001)
#N/A	ATS-528BR	FLE	2006/1/1	ROHS OF ATS-528B
#N/A	ATS-529	COMPOSTAR	2006/1/1	EP-13, ADSL, 135SP:32, 2mH, DIP, IEC950 (SCHOTT 35548)(BEL 0560-6600)
#N/A	ATS-530	ATECH	2006/1/1	EFD-15, 48V RINGER FOR PD5019
#N/A	ATS-531	ASKEY	2006/1/1	EP-13, SHDSL, 3.7SP:1, 3mH, DIP, IEC950 (51256)
#N/A	ATS-532	中國長城	2006/1/1	EP-13, ADSL (ALIT10ST21S)
#N/A	ATS-533	ATECH	2006/1/1	MODULE, ISDN-S0, 1CT:1CT, 1500V (T60407-L5051-X017)(TS5011)
#N/A	ATS-533AR	傳康	2006/1/1	TRANSFORMER, ATS-533AR, ISDN, OTHER, ISDN-S0, 1CT:1CT, 1500V, ROHS (VITEC 22Z4611)(銘電 TI1808D)

#N/A	ATS-534	LION	2006/1/1	EL-2829, 600:97.4CT, 1000V
CTA410001A	ATS-535	AMBIT	2005/12/22	EP-10, 1.88SP:1SP, 400uH DIP, ADSL FOR TI AC5 C/O, UL1950 (TM01338)
#N/A	ATS-535A	XMULTIPLE	2006/1/1	SMD TYPE OF ATS-535
CTA808001A	ATS-536	AMBIT	2006/1/9	RM-8, 8mH*2, FOR ATF028A
#N/A	ATS-537	AMBIT	2006/1/1	EL-2829, 600:6.15K, 1250V
CTAH16000A	ATS-538	AMBIT	2005/12/21	EF-16, 6mH*2, FOR ATF026
CTAH16002A	ATS-538-1	ATECH	2006/1/9	ATS-538 (PIN= 4.5mm)
CTA916000A	ATS-538A	AMBIT	2005/12/22	SEE-16 OF ATS-538
#N/A	ATS-538AR	鴻海	2006/1/1	ROHS OF ATS-538A
#N/A	ATS-538B	AMBIT	2006/1/1	EE-12.9 OF ATS-538
CTA916002A	ATS-539	ATECH	2006/1/3	EF-16, 8mH*2, FOR ATF031
CTA916001A	ATS-540	ATECH	2005/12/22	EF-16, 3mH*2, FOR ATF031
#N/A	ATS-540A	AMBIT	2006/1/1	SEE-16 OF ATS-540
#N/A	ATS-541	TURBO	2006/1/1	EP-10, ADSL 100SP:25SP, 171uH SMD, UL1950 (51296)
#N/A	ATS-542	ASKEY	2006/1/1	TRANSFORMER, ATS-542, COMMON CHOKE, UU-10.5, 5mH*2 (NF01UI502)
CTKH16000A	ATS-542A	ASKEY	2006/1/2	TRANSFORMER, ATS-542A, COMMON CHOKE, EF-16, 5mH*2
CTKH16003A	ATS-542AR	東僑電子	2007/9/28	TRANSFORMER, ATS-542AR, COMMON CHOKE, EF-16, 5mH*2, ROHS
CTKH16001A	ATS-542B	ASKEY	2006/1/2	TRANSFORMER, ATS-542B, COMMON CHOKE, EF-16, 5mH*2, LOW DCR
CTKH16002A	ATS-542BN	WONG'S	2006/1/2	TRANSFORMER, ATS-542BN, COMMON CHOKE, EF-16, 5mH*2, LOW DCR, LEAD FREE
#N/A	ATS-543	帛漢	2006/1/1	EP-13, ADSL 1SP:1, 25.4mH, UL1950 (50217)
#N/A	ATS-544	研新	2006/1/1	RM-5, POWERLINE MODEM FOR ASM AS5501/02 CHIP
#N/A	ATS-545	ASKEY	2006/1/1	EE-5, 300uH*2, FOR CENTILLIUM SHDSL (C1813)
#N/A	ATS-546	ASKEY	2006/1/1	EP-13, 100SP:25SP, 1mH, UL1950, FOR CENTILLIUM (C2163)
#N/A	ATS-547	ATECH	2006/1/1	EP-13, 1.41SP:1SP 475uH, UL1950, GULL WING SMD FOR GLOBESPAN ADSL CO
#N/A	ATS-547A	斛斗雲	2006/1/1	EPX-7 SMD(PIN 外彎) OF ATS-547 (UTB00052S)
#N/A	ATS-548	ATECH	2006/1/1	EP-13, 1.15SP:1SP 475uH, UL1950, GULL WING SMD FOR GLOBESPAN ADSL CO
#N/A	ATS-548A	正華	2006/1/1	EPX-7 SMD(PIN 外彎) OF ATS-548 (UTB00241S)
#N/A	ATS-549	ASKEY	2006/1/1	EP-13, 1SP:1SP 2.6mH, UL1950, FOR CENTILLIUM (FDK EP13ST015)

#N/A	ATS-550	ASKEY	2006/1/1	EP-13, 2.125SP:1SP 2.6mH, UL1950, FOR CENTILLIUM (FDK EP13ST016)
CTP235000A	ATS-551	RDL	2005/12/22	EI-35, 600:600, 1250V
CTX235001A	ATS-551R	RDL	2006/1/20	ROHS OF ATS-551
CTA41300XA	ATS-552	ATECH	2006/1/2	EF-16, 5.6mH*2, FOR ATF016B/C
#N/A	ATS-553	CARINDA	2006/1/1	EP-7, 1CT:2.729CT, 1250VDC (31160R SAME FUNCTION)
#N/A	ATS-553A	FURUNO	2006/1/1	EE-5, 1CT:2.729CT, 1000VDC (31160R)
#N/A	ATS-554		2006/1/1	
CTA413002A	ATS-555	ATECH	2005/12/21	TRANSFORMER, ATS-555, ADSL, EP-13, 1SP:3.3SP 780uH, SMD, IEC950, FOR CONEXANT 5V (51130R)
#N/A	ATS-555A	AMBIT	2006/1/1	TRANSFORMER, ATS-555A, ADSL, EP-13, ATS-555 W/H STAND-OFF
CTA413003A	ATS-555B	光寶	2005/12/21	DIP TYPE OF ATS-555
#N/A	ATS-555C	TURBO	2006/1/1	EP-13, ADSL, 1SP:3.3SP 780uH, SMD, IEC950, FOR GLOBESPAN (CE1047B)
CTA41300BA	ATS-555D	凱碩	2005/12/22	EP-13, ADSL, 1SP:3.3SP 800uH, SMD, IEC950, FOR CONEXANT
CTA41303HA	ATS-555R	鐘萊	2006/11/28	TRANSFORMER, ATS-555R, ADSL, EP-13, 1SP:3.3SP 780uH, SMD, IEC950, FOR CONEXANT 5V, ROHS OF ATS-555
CTA413004A	ATS-555T	BAUD	2005/12/21	ATS-555T W/H TRAY PACKING
#N/A	ATS-555T1	BAUD	2006/1/1	ATS-555T W/H TL10 CORE
#N/A	ATS-555T2	BAUD	2006/1/1	ATS-555T W/H A101 CORE
CTA41302ZA	ATS-555TR	BAUD	2006/2/20	ADSL TRANSFORMER EP-13 3.3SP:1SP 780uH ROHS OF ATS-555T
#N/A	ATS-556	久津	2006/1/1	EP-10, 3SP:1SP, 1.2mH SMD, UL1950
#N/A	ATS-556A	東訊	2006/1/1	EPX-7, 3SP:1SP, 1.2mH SMD, UL1950 (BEL S560-6600-EB)
#N/A	ATS-556B	久津	2006/1/1	EP-13, 3SP:1SP, 1.2mH SMD, UL1950
CTK005002A	ATS-557	AMBIT	2006/1/5	TRANSFORMER, ATS-557, CHOCK, EE-5, 5uH, SMD (UMEC UTB00289)
#N/A	ATS-557A	AMBIT	2006/1/1	EE-5, 6uH*2, SMD
#N/A	ATS-557B	AMBIT	2006/1/1	EE-5, 7.5uH*2, SMD
#N/A	ATS-557R	ASKEY	2006/1/1	ROHS OF ATS-557
CTA41302HA	ATS-558	AMBIT	2006/1/9	EP-13, ADSL 1SP:1.6SP, 440uH, SMD, IEC950 SMD, FOR GLOBESPAN CPE (UTB00298S)
CTA41302JA	ATS-558A	AMBIT	2006/1/9	ATS-558 BOBBIN W/H BOSS
CTA41301KA	ATS-558T	TURBO	2006/1/5	ATS-558 W/H KAPTON TAPE ON CORE
#N/A	ATS-559	台林	2006/1/1	EP-10, ADSL 1.41SP:1SP, 474uH SMD, UL1950

CTA407009A	ATS-560	ATECH	2006/1/2	EP-7, 67.6uH*2 FOR ATF035
CTA40700AA	ATS-561	ATECH	2007/3/7	EP-7, 90.0uH*2 FOR ATF035
CTA40700BA	ATS-562	ATECH	2007/3/7	EP-7, 48.4uH*2 FOR ATF035
CTA40700CA	ATS-563	ATECH	2006/1/2	EP-7, 78.4uH*2 FOR ATF035
#N/A	ATS-564	友訊	2006/1/1	EP-10 1SP:1.4SP, 800uH SMD, FOR AD POTS RX, SMD, UL1950 (51445R)
#N/A	ATS-564A	久津	2006/1/1	EP-13 1SP:1.4SP 400uH, FOR AD POTS RX, SMD, UL1950
#N/A	ATS-564B	ARCHTEK	2006/1/1	EPX-7 1SP:1.4SP 400uH, FOR AD POTS RX, SMD, UL1950
#N/A	ATS-565	友訊	2006/1/1	EP-10 2.79SP:1SP, 1.2mH SMD, FOR AD POTS TX, SMD, UL1950 (51338R)
#N/A	ATS-565A	ARCHTEK	2006/1/1	EPX-7 2.79SP:1SP 1.2mH, FOR AD POTS TX, SMD, UL1950
CTA407002A	ATS-566	凱碩	2005/12/22	EP-7, 3.5mH*2, 600V, FOR GLOBESPAN (C2518)
CTAH16001A	ATS-567	ATECH	2005/12/28	EF-16, 2mH*2(TWO SECTION) FOR ATF038 & TELKOM FILTER
#N/A	ATS-568	ATECH	2006/1/1	EF-16, 1.5mH*2 FOR ATF039
#N/A	ATS-569	台林	2006/1/1	EE-5, 340uH*2, FOR GLOBESPAN G7000 (B2127A)
#N/A	ATS-570	ADVANCE	2006/1/1	RM-6, 135CT:636, 1200V (671-5769)
#N/A	ATS-571	ATECH	2006/1/1	ATS-471 W/H ATS-571 MARKING
#N/A	ATS-572	台林	2006/1/1	EP-10/7.5, 1SP:1SP 850uH, FOR CENTILLIUM ADSL CO, SMD, UL1950 (UTB00073S)
#N/A	ATS-573	INTERTEX	2006/1/1	RM-6, 12.5mH*2, 80mADC
#N/A	ATS-574	INTERTEX	2006/1/1	RM-5, 2.15mH*2, 80mADC
#N/A	ATS-575	INTERTEX	2006/1/1	RM-5, 1mH*2, 80mADC
#N/A	ATS-576	ITRI	2006/1/1	EP-13, 135SP:10, 2mH, DIP, UL1950 (51185)
CTAH16003A	ATS-577	ATECH	2006/1/9	EF-16, 14mH*2 FOR ATF041/ATF039
#N/A	ATS-578	全科	2006/1/1	EP-13, 2SP:1, 2mH, DIP, FOR CONEXANT G.SHDSL (50772)
#N/A	ATS-578A	全科	2006/1/1	ATS-578 SMD TYPE
#N/A	ATS-579	AMBIT	2006/1/1	EP-13, 5.4SP:1, 3mH, SMD, FOR GLOBESPAN G.SHDSL (51264)(BEL S560-6600-N7)
#N/A	ATS-579A	AMBIT	2006/1/1	ATS-579 W/H BOSS
CTA913000A	ATS-580	ATECH	2005/12/22	EF-12.6, 1mH*2(ONE SECTION) FOR ATF039
CTA913003A	ATS-581	ATECH	2006/1/3	EF-12.6, 2mH*2(ONE SECTION) FOR ATF039
#N/A	ATS-582	ATECH	2006/1/1	EP-13, 2SP:1SP 410uH, UL1950 SMD, FOR ALCATEL (AP0775)

CTA41301LA	ATS-582A	AMBIT	2006/1/5	ATS-582 W/H BOSS
CTA41300CA	ATS-582B	AMBIT	2005/12/22	EP-13, 2SP:1SP 410uH, UL1950 SMD W/H BOSS, FOR ALCATEL (LAL0215)
#N/A	ATS-582C	ASKEY	2006/1/1	TRANSFORMER, ATS-582C, ADSL, EP-13, ATS-582B W/O BOSS, FOR ALCATEL (LAL0215)
#N/A	ATS-582CR	捷超	2006/1/1	TRANSFORMER, ATS-582CR, ADSL, EP-13, ATS-582B W/O BOSS, FOR ALCATEL, ROHS (LAL0215)
CTA607001A	ATS-583	瓏巖	2005/12/22	EPX-7, 1SP:1SP 100uH, FOR ALCATEL ADSL+ISDN CPE (TDK TRTEP7S-U089A012-25)(TRTEP7S-U142A013)
#N/A	ATS-584	久津	2006/1/1	EP-13, 3SP:1SP 1.22mH, FOR AD POTS TX, UL60950 DIP (51364)
#N/A	ATS-584A	ARCHTEK	2006/1/1	SMD OF ATS-584
#N/A	ATS-585	久津	2006/1/1	EP-13, 1SP:1.4SP 400uH, FOR AD POTS RX, UL60950 DIP (51482)
#N/A	ATS-585A	昇頻	2006/1/1	SMD OF ATS-585 (51467)
#N/A	ATS-586	久津	2006/1/1	EP-13, 2.8SP:1SP 176.4uH , FOR AD ISDN TX, UL60950 DIP (51363)
#N/A	ATS-586A	ARCHTEK	2006/1/1	SMD OF ATS-586
#N/A	ATS-587	久津	2006/1/1	EP-13, 1SP:1.1SP 100uH , FOR AD ISDN RX, UL60950 DIP (51481)
#N/A	ATS-587A	ARCHTEK	2006/1/1	SMD OF ATS-587
#N/A	ATS-588	久津	2006/1/1	EPX-7 SMD(PIN 內彎) OF ATS-586 (51337)
#N/A	ATS-588A	久津	2006/1/1	EPX-7 SMD(PIN 外彎) OF ATS-586
#N/A	ATS-589	久津	2006/1/1	EPX-7 SMD(PIN 內彎) OF ATS-587 (51377)
#N/A	ATS-589A	久津	2006/1/1	EPX-7 SMD(PIN 外彎) OF ATS-587
#N/A	ATS-590	斛斗雲	2006/1/1	EP-10/7.5, 1.15SP:1SP, FOR GLOBESPAN ADSL CO, SMD, UL1950 (UTB00266S)
#N/A	ATS-591	璞石	2006/1/1	UU-10*8*3, COMMON CHOKE, 0.5mH*2/1A
#N/A	ATS-592	東訊	2006/1/1	EPX-7, 1.41SP:1SP 800uH, SMD(PIN 內彎), UL1950 (BEL S560-6600-EP)
CTA913004A	ATS-593	ATECH	2006/1/3	EF-12.6, 1.5mH*2(ONE SECTION) FOR ATF041
CTA913001A	ATS-593A	ATECH	2005/12/22	EF-12.6, 1.5mH*2(TWO SECTION) FOR ATF053B
#N/A	ATS-593B	ATECH	2006/1/1	EF-12.6, 1.57mH*2(TWO SECTION) FOR ATF060
#N/A	ATS-593C	ATECH	2006/1/1	EF-12.6, 1.57mH*2(ONE SECTION) FOR ATF086
#N/A	ATS-594	ATECH	2006/1/1	EP-7, 57.6uH*2, FOR ATF035B
#N/A	ATS-595	ATECH	2006/1/1	EP-7, 28.9uH*2, FOR ATF035B
#N/A	ATS-596	ATECH	2006/1/1	EP-7, 19.6uH*2, FOR ATF035B
#N/A	ATS-597	AMBIT	2006/1/1	EL-8, 600:215, NEMKO SMD(H=3.9+/-0.1mm)

#N/A	ATS-597A	華泰	2006/1/1	EL-8, 600:287, UL1950 SMD(H=3.9+/-0.1mm)
#N/A	ATS-598	ADAPTCOM	2006/1/1	EE-5, 500uH*2 (UTB00195)
#N/A	ATS-599	ADAPTCOM	2006/1/1	EE-5, 217uH*2 (AP1233)
#N/A	ATS-600	技電	2006/1/1	100EL, 10K:10K, 1250V, SMD
CTA41300EA	ATS-601	凱碩	2005/12/22	EP-13, 1.6SP:1SP, 100uH, IEC950, SMD (C3028)
#N/A	ATS-601A	盛達	2006/1/1	EP-13, 1.6SP:1SP, IEC950, SMD
CTA40700EA	ATS-602	ATECH	2006/1/9	EP-7, 102.4uH*2 FOR ATF033
#N/A	ATS-603	誠致	2006/1/1	EP-13, 4.25SP:1.7CT:1, 3mH, ADSL HYBRID, UL1950, DIP (51473)
#N/A	ATS-603A	誠致	2006/1/1	EP-13, ADSL HYBRID, 3mH, UL1950, DIP
CTA41302NA	ATS-603B	誠致	2006/1/9	EP-13, ADSL HYBRID, 3mH, UL1950, DIP (PAT-1331)
#N/A	ATS-603C	ASKEY	2006/1/1	ATS-603 SMD TYPE
CTS407002A	ATS-604	AMBIT	2005/12/22	EP-7, 1:2, DIP (AP1153)
#N/A	ATS-605	神腦	2006/1/1	EL-8, 10K:10K, 1650V, SMD
#N/A	ATS-606	三捷	2006/1/1	EP-13, 4.3mH*2 CHOKE (110942)
#N/A	ATS-607	MAXLION	2006/1/1	EP-13, 3.6SP:2CT:1, 1.13mH, VDSL HYBRID, SMD (B4064)
#N/A	ATS-608	大鼎	2006/1/1	EI-16, 600SP:600, 1500V
CTA41300FA	ATS-609	ASKEY	2005/12/22	EP-13, 2.5SP:1SP, 5mH, UL1950, SMD (TDK U097B013)
CTA413011A	ATS-609A	ASKEY	2006/1/3	EP-13, 2.5SP:1SP, 5mH, UL1950, SMD (TDK U236B013)
#N/A	ATS-609A1	ASKEY	2006/1/1	EP-13, 90Ts OF ATS-609A
#N/A	ATS-609B	ASKEY	2006/1/1	ATS-609A W/H NC-7H CORE
#N/A	ATS-609B1	ASKEY	2006/1/1	ATS-609A W/H NC-5Y CORE
CTA013009A	ATS-610	ATECH	2006/8/2	EE-12.9, 11mH*2, FOR ATF043
#N/A	ATS-610A	AMBIT	2006/1/1	EE-12.9, 11mH*2 (同EPL15-2腳位)
CTA013005A	ATS-611	ATECH	2005/12/21	EE-12.9, 13mH*2, FOR ATF043
#N/A	ATS-611A	AMBIT	2006/1/1	EE-12.9, 13mH*2 (同EPL15-1腳位)
CTA413012A	ATS-612	ASKEY	2006/1/3	EP-13, 2SP:1SP 409.5uH, UL1459, SMD (50819)
#N/A	ATS-612A	AMBIT	2006/1/1	EP-13, 2SP:1SP 409.5uH, UL1950 OF ATS-612, W/O PIN#3
#N/A	ATS-612B	ASKEY	2006/1/1	ATS-612A W/H PIN#3

#N/A	ATS-613	勁取	2006/1/1	EP-13, 1.8:1, 1.4mH DIP, FOR INFINEON ADSL (BEL TM01372)
#N/A	ATS-614	大霸	2006/1/1	EP-13, 1.95:1, 1.5mH SMD, UL1950 (HITACHI USUI-634)
#N/A	ATS-615	AMBIT	2006/1/1	EE-5, 280uH*2 (UTB00197)
#N/A	ATS-616	AMBIT	2006/1/1	EE-5, 235uH*2 (UTB00198)
CTA005000A	ATS-616A	BAUDTEC	2005/12/28	EE-5, 235uH*2, FOR TREND CHIP
CTA005001A	ATS-616AR	BAUDTEC	2006/2/20	INDUCTOR EE-5 SMD 6PINS. RoHS OF ATS-616A
CTP30800FA	ATS-617	CERMETEK	2005/12/22	EL-8, 600:287, SMD H=2.54mm, UL1950
#N/A	ATS-618	EUROTRONIX	2006/1/1	EP-7, COMMON CHOKE, 6mH*2, 500V SMD
#N/A	ATS-619	展達	2006/1/1	EP-7, 1.4SP:1SP, 400uH, 1500V UL1950 (51539R)
CTA407003A	ATS-619A	捷超/聯誠	2005/12/22	EP-7, 1.4SP:1SP, 400uH, 1500V UL1950 (51678R)
CTA407001A	ATS-620	展達	2005/12/22	EP-7, 3SP:1SP, 1.2mH, 1500V UL1950 (51536R)
CTA407005A	ATS-621	展達	2005/12/22	EP-7, 1.1SP:1SP, 122uH, 1500V UL1950 (51537R)
#N/A	ATS-621A	晉鋒	2006/1/1	ATS-621 W/H CUSTOMER MARKING
CTA407006A	ATS-622	展達	2005/12/22	EP-7, 2.77SP:1SP, 171uH, 1500V UL1950 (51534R)
#N/A	ATS-622A	晉鋒	2006/1/1	ATS-622 W/H CUSTOMER MARKING
#N/A	ATS-623	德華豐	2006/1/1	EE-5, 1.15:1, 1500V (50479R)
#N/A	ATS-623C	CTC	2006/1/1	ATS-623 W/H CTC-0453 MARKING
#N/A	ATS-624	AMBIT	2006/1/1	EP-7, 1.41SP:1SP, 410uH, 2500V UL1950 (SCHOTT 40535)
CTT804000A	ATS-625	AMBIT	2005/12/22	RM-4, 33.64uH (AP1119)
#N/A	ATS-625R	鴻海	2006/1/1	ROHS OF ATS-625
CTA41302PA	ATS-626	ATECH	2006/1/9	EP-13, 5mH*2, 1 SEC. FOR ATF047
CTP413003A	ATS-626A	ATECH	2006/8/7	EP-13, 5mH*2, 2 SEC. FOR ATF047I
#N/A	ATS-627	溪園	2006/1/1	EI-19, 600:1200CT, 90mADC
CTA41300YA	ATS-628	ATECH	2006/1/2	EP-13, 4.5mH*2, FOR ATF047N
#N/A	ATS-629	台林	2006/1/1	EPX-7, 0.95SP:1SP, 750uH, SMD, UL1950 (B2414JB)(C3114L)
#N/A	ATS-629A	台林	2006/1/1	EPX-7, 0.95SP:1SP, 85uH, SMD, UL1950 (UTB00336S)
CTP30800AA	ATS-630	富益強	2005/12/21	TRANSFORMER, ATS-630, POTS, EL-8, 10K:10K, 3750V, SMD (P2769)
CTPL08003A	ATS-630AR	GLOBAL ELECTRONICS	2007/3/15	TRANSFORMER, ATS-630AR, POTS, EL-8, 10K:10K, 4600V, SMD (ETAL P2769)

CTP30803JA	ATS-630R	德士通	2007/6/7	TRANSFORMER, ATS-630R, POTS, EL-8, 10K:10K, 3750V, SMD, ROHS OF ATS-630
#N/A	ATS-631	南方資訊/振耀	2006/1/1	EP-13, 1SP:1SP 2.79mH, DIP, UL1950 (SJ1310P)
CTP709000A	ATS-632	台硝	2005/12/22	ER-9.5, 1:1 AES/EBU DIGITAL AUDIO, 1500VAC (SCHOTT 37211)
#N/A	ATS-633	FECS	2006/1/1	EP-7, 235uH CHOKE, SMD
#N/A	ATS-634	光寶	2006/1/1	EP-13, 4SP:2SP:1SP, 700uH, 12PINS SMD (UTB00366S)
CTA41300GA	ATS-634A	光寶	2005/12/22	EP-13, 4SP:2SP:1SP, 700uH, 12PINS SMD (LAL0602)
#N/A	ATS-634ADR	盛達	2006/1/1	ROHS AND DIP OF ATS-634A
#N/A	ATS-634B	光寶	2006/1/1	EP-13, 4SP:2SP:1SP, 12PINS SMD
CTW219001A	ATS-635	RADIO	2005/12/22	EI-19, 8:8, 1200V DIP
#N/A	ATS-635R	RADIO	2006/1/1	ROHS OF ATS-635
#N/A	ATS-636	凱碩	2006/1/1	EP-13, 3.2SP:1:1, 3mH, UL1950, SMD (B1063)
#N/A	ATS-636A	紹輔	2006/1/1	DIP TYPE OF ATS-636 (B1093)
#N/A	ATS-637	ATECH	2006/1/1	EE-5, 2.42:1, 1875VAC (50572)
#N/A	ATS-638	AMBIT	2006/1/1	EF-12.6*10.8, 6mH*2 FOR ADSL SPLITTER
CTKH13000A	ATS-638A	聯誠	2005/12/21	EF-12.6, 6mH*2(ONE SECTION) FOR ADSL SPLITTER
#N/A	ATS-638B	AMBIT	2006/1/1	EE-13, 6mH*2 FOR ADSL SPLITTER
CTA41300HA	ATS-639	東訊	2005/12/22	EP-13, 4.25SP:1:4.25, 2.65mH, DIP, EN60950 (51511)
#N/A	ATS-639A	捷超	2006/1/1	EP-13, 4.25SP:1:4.25, 2.65mH, DIP, EN60950 (UT20309)
#N/A	ATS-639N	品訊	2006/1/1	LEAD FREE OF ATS-639
CTA607002A	ATS-640	台林	2006/1/9	EPX-7 0.7SP:1SP, 3.18mH, FOR G.SHDSL, SMD, UL1950 (BEL S560-6600-HG)
#N/A	ATS-640B	BOURNS	2006/1/1	ATS-640 W/H SM51500 BOURNS MARKING
CTA41300IA	ATS-641	AMBIT	2005/12/22	EP-13, 4SP:2SP:1SP, 600uH, 12PINS SMD (C10113)
#N/A	ATS-641A	AMBIT	2006/1/1	EP-13, 4SP:2SP:1SP, 700uH, 12PINS SMD, FOR GLOBESPAN ADSL2.0+ (C10113)
#N/A	ATS-641B	ASKEY	2006/1/1	TRANSFORMER, ATS-641B, ADSL, EP-13, 4SP:2SP:1SP, 700uH, 12PINS SMD, FOR GLOBESPAN ADSL2+ (UT20325S)
#N/A	ATS-641BR	ASKEY(吳江)	2006/1/1	TRANSFORMER, ATS-641BR, ADSL, EP-13, 4SP:2SP:1SP, 700uH, 12PINS SMD, FOR GLOBESPAN ADSL2+ , ROHS (UT20325S)
#N/A	ATS-641C	WELL	2006/1/1	EP-13, 4SP:2SP:1SP, 700uH, 12PINS SMD, FOR GLOBESPAN ADSL2.0+ (C10113A)
CTA413005A	ATS-641CN	凱碩	2005/12/21	LEAD FREE OF ATS-641C
CTA41303UA	ATS-641CTN	BAUDTEC	2008/2/15	TRANSFORMER, ATS-641CTN, DSL, EP-13, ATS-641CN W/H TRAY PACKING

#N/A	ATS-641CX	CONEXANT	2006/1/1	ATS-641C FOR CONEXANT DESIGN IN
#N/A	ATS-642	TURBO	2006/1/1	EPX-7, 3:1, 220uH, UL1950, SMD (AMT2630S)
#N/A	ATS-642A	TURBO	2006/1/1	EP-7, 3:1, 220uH, UL1950, SMD (51422)
#N/A	ATS-642B	ASKEY	2006/1/1	EP-7,VDSL, 3:1, 200uH, UL1950, SMD (UT20020S)
#N/A	ATS-642C	ASKEY	2006/1/1	EP-7, 3:1, 440uH, UL1950, SMD
#N/A	ATS-643	友俊	2006/1/1	UU-10*8*3, COMMON CHOKE, 5mH*2/0.3A
#N/A	ATS-644	亞土	2006/1/1	EL-14, 600CT:8, 1000V
#N/A	ATS-645	AZTECH	2006/1/1	EP-13, 100SP:100SP, 470uH SMD, IEC60950 (C2770)
#N/A	ATS-646	智英	2006/1/1	EP-13, 8mH*2 ADSL CHOKE, DIP
#N/A	ATS-647	ASKEY	2006/1/1	EP-13, 2.545SP:1SP, 5mH, SMD, UL1950 (TDK U213B013)
#N/A	ATS-648	ASKEY	2006/1/1	EP-13, 4.5mH*2 ADSL CHOKE
#N/A	ATS-648A	ATECH	2006/1/1	EP-13, 4.5mH*2 ADSL CHOKE(反相)
#N/A	ATS-649	ASKEY	2006/1/1	UU-10*8*3, COMMON CHOKE, 0.6mH*2
CTP219003A	ATS-650	BLUEPACKET	2005/12/22	EI-19, WET SLIC, 600SP:??
#N/A	ATS-651	凡捷	2006/1/1	UU-10*8*3, COMMON CHOKE, 7mH*2/0.5A
CTKB10003A	ATS-651A	A-LIST	2005/12/22	ATS-651 W/H CUSTOMER MARKING
CTA913002A	ATS-652	ATECH	2005/12/22	EF-12.6, 10mH*2(ONE SECTION) FOR ATF053B
CTA41300JA	ATS-653	中磊	2005/12/22	EP-13, 2SP:1SP 1.5mH, 1875V, FOR TI ADSL AR7/AR7W, DIP
CTA413006A	ATS-653A	ASKEY	2005/12/21	EP-13, 2SP:1SP 1.5mH, 1875V, FOR TI ADSL AR7/AR7W, DIP (T10120)
CTA413033A	ATS-653AR	理想	2006/4/12	ROHS OF ATS-653A
CTA41303SA	ATS-653AR-4	ATECH	2007/10/1	TRANSFORMER, ATS-653AR-4, DSL, EP-13, 2SP:1SP 1.5mH, 1875V, FOR TI AR7/AR7W, DIP (台點 ??)
CTA413031A	ATS-653B	互動科技	2006/3/15	TRANSFORMER, ATS-653B, DSL, EP-13, 2SP:1SP 1.5mH, 1500V, FOR TI ADSL/ADSL2+ AR7/AU7/AP7, DIP (BX2479H)
CTA41303LA	ATS-653BR	中磊	2007/3/3	TRANSFORMER, ATS-653BR, DSL, EP-13, ROHS OF ATS-653B
#N/A	ATS-654	ATECH	2006/1/1	MODULE, ISDN-S0, DUAL 1SP:1SP, W/O CHOKE, 16PINS SMD, 2000V (UT20793-00TS)(銘電TI1629S)
#N/A	ATS-654R	恆隆	2006/1/1	ROHS OF ATS-654 (銘電 ??)
#N/A	ATS-655	ATECH	2006/1/1	MODULE, ISDN-S0, DUAL 1SP:1SP, W/H 50uH CHOKE, 16PINS SMD, 2000V (UT20793-50TS)(銘電TI1630S)
#N/A	ATS-655A	ATECH	2006/1/1	MODULE, ISDN-S0, DUAL 1SP:1SP, W/H 50uH CHOKE, 16PINS SMD, 1500V (T60407-L5026-X014)(銘電??)
#N/A	ATS-656	ASKEY	2006/1/1	EP-13, 2SP:1SP 1.5mH, 1875V SMD (GCI G034095)

#N/A	ATS-656A	ASKEY	2006/1/1	EP-13, 2SP:1SP 1.5mH, 1850V SMD (DT32-20159AS)
#N/A	ATS-657	ASKEY	2006/1/1	EP-13, 2SP:1SP 400uH, 1500V SMD (GCI G034096)
CTA41301MA	ATS-657A	中磊	2006/1/5	DIP TYPE OF ATS-657 (BX2243H)
#N/A	ATS-658	PLEXUS	2006/1/1	EL-16, 600:150, 3KVAC
#N/A	ATS-659	佛山環訊	2006/1/1	EP-13, 2SP:1:1 10mH, MDSL FOR PEB22522, 2000V DIP (UT20113)
CTP413001A	ATS-660	ASIA ICOM	2005/12/22	EP-13, 600:310, SMD (AM95MW)
CTP413002A	ATS-660R	艾可慕	2006/3/7	ROHS OF ATS-660
CTA407004A	ATS-661	ASKEY	2005/12/21	EP-7, 1.39SP:1SP 420uH, 1500V IEC60950 (C2936L)
CTA40700JA	ATS-661R	ASKEY	2006/11/23	ROHS OF ATS-661
#N/A	ATS-662	ATECH	2006/1/1	EP-13, 2SP:1, 1mH, 2000V, IEC60950 (51690)
#N/A	ATS-662B	BOURNS	2006/1/1	ATS-662 W/H SM51102 BOURNS MARKING
#N/A	ATS-663	BOURNS	2006/1/1	EE-5, 6:1, 150VAC
#N/A	ATS-664	SHAOHUI	2006/1/1	EP-13, 3.5mH*2 CHOKE, FOR SPLITTER
#N/A	ATS-664A	SHAOHUI	2006/1/1	EF-16, 3.5mH*2 CHOKE, FOR SPLITTER
#N/A	ATS-665	SHAOHUI	2006/1/1	EP-13, 9mH*2 CHOKE, FOR SPLITTER
#N/A	ATS-665A	SHAOHUI	2006/1/1	EF-16, 9mH*2 CHOKE, FOR SPLITTER
#N/A	ATS-666	效鴻	2006/1/1	EE-8.3, 350mH COMMON CHOKE, DIP
CTP308036A	ATS-667	冠宇	2006/1/9	TRANSFORME, ATS-667, POTS, EL-8, 20K:20K, 70H, 1650V, SMD
CTP30803NA	ATS-667R	華鼎	2006/1/1	TRANSFORMER, ATS-667R, POTS, EL-8, ROHS OF ATS-667
#N/A	ATS-668	互億	2006/1/1	EEL-16, 600:374, 1250V, FOR 56Kbps PCMCIA (OFFSET 1.4mm)
#N/A	ATS-669	ATECH	2006/1/1	EE-5, 14.2uH*2 CHOKE FOR ATF066
#N/A	ATS-670	漢翔	2006/1/1	EL-2829, 150:150, 1000V
CTP328000A	ATS-671	漢翔	2006/1/9	EL-2829, 600:150, 1000V
#N/A	ATS-672	漢翔	2006/1/1	EL-2829, 600:2400, 1000V
CTAH13001A	ATS-673	ATECH	2006/7/14	EF-12.6, 2.82mH*2(TWO SECTIONS) FOR ATF067T
CTAH13000A	ATS-674	ATECH	2006/1/9	EF-12.6, 8.86mH*2(ONE SECTION) FOR ATF067T
CTX115004A	ATS-675	德士通	2006/1/9	EFD-15, for PoE, Vi=48V, Vo1=3.3V/3A, Vo2=13.5V (CTX02-15242)
CTW115001A	ATS-675A	德士通	2005/12/28	TRANSFORMER, ATS-675A, POWER, EFD-15, EFD-15, for PoE, Vi=48V, Vo1=9V/1.1A, Vo2=9V

CTW115002A	ATS-675AR	德士通	2007/1/23	TRANSFORMER, ATS-675AR, POWER, EFD-15, for PoE, Vi=48V, Vo1=9V/1.1A, Vo2=9V, ROHS OF ATS-675A
CTX313003A	ATS-676	漢翔	2006/1/5	EL-2829, 2400:2400, 1000V
CTX219006A	ATS-677	漢翔	2006/1/5	EI-19, 4:8, 1200V DIP
#N/A	ATS-678	漢翔	2006/1/1	EL-2829, 150:8, 1000V
#N/A	ATS-679	漢翔	2006/1/1	EL-2829, 600:4, 1000V
#N/A	ATS-680	璞石	2006/1/1	UU-16, COMMON CHOKE 20mH*2/0.8A
CTKB16000A	ATS-680A	璞石	2006/1/9	ATS-680 W/O MARKING & DOT
CTP328001A	ATS-681	漢翔	2006/1/9	EL-2829, 375:5, 1000V
#N/A	ATS-682	豪邁	2006/1/1	ED-8, 600:430, 3750V (P3191)
#N/A	ATS-683	ZOOM	2006/1/1	EP-13, 6mH*2 CHOKE, 2 SECTION DIP, FOR SPLITTER
#N/A	ATS-684	德世通	2006/1/1	EP-13, ISDN-U, 1.25SP:1CT, 28mH, UL1950 (UT21964S)
#N/A	ATS-684A	ATECH	2006/1/1	EP-13, ISDN-U, 2SP:1CT, 28mH, UL1950
#N/A	ATS-685	德世通	2006/1/1	EP-13, ISDN-UK0, 1.6SP:1, 7.57mH, UL1950 (UT21976S)
#N/A	ATS-686	BOURNS	2006/1/1	EP-13, SHDSL, 3.2SP:1:1, 3mH, 2000V, UL1950 (B1062)
#N/A	ATS-687	嘉馬	2006/1/1	EP-13, 1.15SP:1SP, 2.5mH, 1500V, EN60950 (51843)
#N/A	ATS-688	漢翔	2006/1/1	EL-2829, 600:470, 1000V
#N/A	ATS-689	MIKROTIK	2006/1/1	UU-10.5, COMMON CHOKE 1.5mH*2/2A (PLA10A1522R0R2)
#N/A	ATS-690	CARINDA	2006/1/1	EF-16, POWERLINE CARRIER, UL1950 (P2824)
#N/A	ATS-691	拓碼	2006/1/1	EP-10, 1SP:1SP, 70uH SMD, UL1950 (TM01374)
CTK005000A	ATS-692	夏弗娜	2005/12/21	EE-5, 1:1.08SP, 1.4mH, 1500V (TM00142)
#N/A	ATS-692R	COMPONENTES	2006/1/1	ROHS OF ATS-692
#N/A	ATS-693	ATECH	2006/1/1	EF-12.6, 3mH*2(ONE SECTION) FOR ATF074
CTA41301NA	ATS-694	UNIQUE	2006/1/5	EP-13, 1.8SP:1, 2.75mH, SHDSL, SMD, UL1950 (S560-6600-EZ)
#N/A	ATS-694R	ATECH	2006/1/1	ROHS OF ATS-694
#N/A	ATS-695	ATECH	2006/1/1	EP-13, 8.33mH*2(TWO SECTIONS) CHOKE FOR ATF072
#N/A	ATS-696	創恆	2006/1/1	EL-2425, 600:530, UL1950 W/H CAP (MIDCOM 82096)
#N/A	ATS-696R	PARADOX	2006/1/1	TRANSFORMER, ATS-696R, POTS, EL-2425, 600:530, UL1950 W/H CAP, ROHS (MIDCOM 82096)
#N/A	ATS-697	賽銘鑫	2006/1/1	EPX-7, 0.9SP:1SP, 1mH, UL1950, SMD (BX2485L)

#N/A	ATS-697A	ASKEY	2006/1/1	EPX-7, 0.9SP:1SP, 1mH, UL1950, SMD (UTB00493S)
#N/A	ATS-697AR	(未開案)	2006/1/1	ROHS OF ATS-697A
#N/A	ATS-698	冠宇	2006/1/1	EL-14, 60K:60K, 1750V
#N/A	ATS-699	APEX	2006/1/1	EF-16, POWERLINE CARRIER, 1:1.67, 4KVAC (P2820)
CTA413007A	ATS-700	凱碩	2005/12/21	EP-13, 2SP:1SP 100uH, 1500V SMD (GCI G034286)
CTA41303CA	ATS-700AR	中磊	2006/7/28	ROHS OF ATS-700, DIP
CTA413035A	ATS-700R	ATECH	2006/4/13	ROHS OF ATS-700, SMD
#N/A	ATS-701	ASKEY	2007/1/1	EP-7, 1:1, 300uH*2, DIP (1AB023630011)
#N/A	ATS-702	ASKEY	2007/1/1	EP-7, 1:1, 146.5uH*2, DIP (1AB023630015)
#N/A	ATS-703	ASKEY	2007/1/1	EP-7, 1:1, 167uH*2, DIP (1AB023630014)
#N/A	ATS-704	ASKEY	2007/1/1	EP-13, ADSL, 1SP:1SP, 102.4uH DIP, UL1950 (AP0729)
#N/A	ATS-705	ATECH	2007/1/1	EPX-7, 0.95SP:1SP, 750uH, UL1950, SMD (B2517JB)
#N/A	ATS-706	ATECH	2007/1/1	RING CORE, POWER LINE, 1.44:1, 946uH
#N/A	ATS-707	CRI	2007/1/1	EP-7, 0.408SP:1SP, 1.1mH, UL1950, SMD (BX2516W)
#N/A	ATS-708	LET	2007/1/1	EI-14, 1300:8, 500VAC, DIP
#N/A	ATS-708R	泛網科技	2008/4/7	TRANSFORMER, ATS-708R, RINGER, EI-14, 1300:8, 500VAC, DIP, ROHS OF ATS-708
CTA41300SA	ATS-709	ATECH	2005/12/27	EP-13, 4.4mH*2 CHOKE, 2 SECTION DIP, FOR BOURNS 3610/3611/3612
#N/A	ATS-710	ATECH	2007/1/1	EP-7, 1.9SP:1SP, 400uH, UL1950, SMD (BX2276W)
#N/A	ATS-711	享承	2007/1/1	EP-13, ADSL, 4SP:1SP 440uH, SMD, IEC950 (PIN1-3, 2-4, 10-8, 9-7)
#N/A	ATS-712	特典	2007/1/1	1:1:10.4, 6uH, SMD (TDK LDT565630T-001)
#N/A	ATS-713	VTEH	2007/1/1	EP-7, 2.3SP:1SP, 1.2mH, 1500V UL1950 (51732R)
#N/A	ATS-714	XMULTIPLE	2007/1/1	EP-7, 3.33SP:1SP, 800uH, 1500V UL1950 (S560-6600-JV)
CTP213001A	ATS-715	傳康	2006/1/9	EI-12.5, 600:600, 330mH, DIP, 250V
CTP213000A	ATS-715R	鼎翰	2006/1/2	ROHS OF ATS-715
#N/A	ATS-716	BOURNS	2007/1/1	EP-13, HDL, 2SP:1CT, 5.11mH, DIP, UL1950 (B78421P1457A005)
#N/A	ATS-717	MOTOTECH	2007/1/1	EI-19, 600:150, W/H 80mADC, 1250V
#N/A	ATS-718	PLEXUS	2007/1/1	EP-13, 4.25SP:4.25SP:1SP, 400uH, 12PINS SMD, 1875V UL1950 (BX2962L)(BX2542W)(LAL0652)
CTA41303FA	ATS-718AR	ASKEY	2006/11/16	EP-13, 4.28SP:4.28SP:1SP, 400uH, 12PINS SMD, 1875V UL1950, ROHS (LAL0683-07)

CTA413036A	ATS-718BR	中磊	2006/4/13	EP-13, 4.25SP:4.25SP:1SP, 100uH, 12PINS SMD, 1875V UL1950, ROHS (BX2606L)(BX2606W)
CTA413034A	ATS-718CR	中磊	2006/4/12	EP-13, 4.25SP:4.25SP:1SP, 400uH, 12PINS SMD, 1875V UL1950 (BX2962L)(BX2542W)(LAL0652)
#N/A	ATS-719	BOURNS	2007/1/1	EF-12.6, CURRENT SENSOR, 100:1/35A, SMD (PB0026)
CTXG09000A	ATS-720	盛達	2005/12/21	RING, 8:4:4, FOR HOME PLUG
CTA013001A	ATS-721	ATECH	2005/12/21	EE-12.9/10, 48uH*2, FOR ATF079
CTA01300RE	ATS-721-K	ATECH		EE-12.9/10, 48uH*2, FOR ATF079 (天億)
CTA013002A	ATS-722	ATECH	2005/12/21	EE-12.9/10, 84.5uH*2, FOR ATF079
CTA01300SE	ATS-722-K	ATECH		EE-12.9/10, 84.5uH*2, FOR ATF079 (天億)
CTA013003A	ATS-723	ATECH	2006/6/27	EE-12.9/10, 112.5uH*2, FOR ATF079
CTA01300TE	ATS-723-K	ATECH		EE-12.9/10, 112.5uH*2, FOR ATF079 (天億)
CTA013004A	ATS-724	ATECH	2006/6/27	EE-12.9/10, 65uH*2, FOR ATF079
CTA01300UE	ATS-724-K	ATECH		EE-12.9/10, 65uH*2, FOR ATF079 (天億)
#N/A	ATS-725	RICH BOOKES	2007/1/1	RM-6, 11.8mH*2, ADSL CHOKE
CTC319000A	ATS-726	新基	2006/1/9	EL-19, 100CT:100CT, WIDE BAND
CTC319001A	ATS-726N	新基	2006/4/19	LEAD FREE OF ATS-726
#N/A	ATS-726AR	新基	2007/1/1	TRANSFORMER, ATS-726AR, CABLE, EL-19, ROHS OF ATS-726N ADD CAN
#N/A	ATS-727	正華	2007/1/1	TRANSFORMER, ATS-727, SHDSL, EP-13, 4.5SP:1, 3mH, SMD, IEC950 (VOGT 5041303200)
CTA41303WA	ATS-727DR	環訊	2007/1/1	TRANSFORMER, ATS-727DR, SHDSL, EP-13, 4.5SP:1, 3mH, DIP, ROHS
#N/A	ATS-728	盛達	2007/1/1	UU-10*8*3, COMMON CHOKE 60mH*2/0.3A
#N/A	ATS-729	義隆	2007/1/1	EP-7, 4SP:1SP, 392uH, 1500V UL1950 (S560-6600-HE)
CTA013006A	ATS-730	ATECH	2006/7/13	EE-13, 1.59mH*2, FOR ATF083
CTA013007A	ATS-731	ATECH	2006/7/13	EE-13, 3.56mH*2, FOR ATF083
CTA013008A	ATS-732	ATECH	2006/7/13	EE-13, 1.37mH*2, FOR ATF083
#N/A	ATS-733	東真	2007/1/1	EP-13, 1.95SP:1SP, 1.5mH SMD, UL1950
#N/A	ATS-734	迅德	2007/1/1	OEP8000 W/H ATECH MARKING
CTX013000A	ATS-735	ATECH	2005/12/21	TRANSFORMER, ATS-735, POWER, EE-13, 120:2:3, SHIELDING 40 TS, AC/DC, FOR ATHP-001A1EST/ -001A2EST
CTW013002A	ATS-735A	ATECH	2006/2/21	TRANSFORMER, ATS-735A, POWER, EE-13, 120:2:3, SHIELDING 30 TS, AC/DC, FOR ATHP-001/ -002
CTKB10001A	ATS-736	ATECH	2005/12/21	TRANSFORMER, ATS-736, COMMON CHOKE, UU-10*8*3, 22mH*2/0.25A, FOR HOMEPLUG

CTKB10009A	ATS-736R	ATECH	2006/6/20	TRANSFORMER, ATS-736R, COMMON CHOKE, UU-10*8*3, 22mH*2/0.25A, FOR HOMEPLUG, ROHS OF ATS-736
CTX224000A	ATS-737	R&K	2006/1/9	EI-24*7, 600:600 W/H 40mADC, 1500V
#N/A	ATS-738	ATECH	2007/1/1	EP-13, 5.65mH*2(ONE SECTION) CHOKE FOR 361XA2
#N/A	ATS-739	ATECH	2007/1/1	EF-12.6, 3.56mH*2(ONE SECTION) FOR ATF086
#N/A	ATS-740	ATECH	2007/1/1	EF-12.6, 1.36mH*2(ONE SECTION) FOR ATF086
#N/A	ATS-741	冠宇	2007/1/1	EFD-15, FOR 48V RINGER, 102:55:6
#N/A	ATS-742	拓碼	2007/1/1	EP-13, 1SP:1SP 280uH, 2400V DIP (DT32-20106AT-77)
#N/A	ATS-743	AVB	2007/1/1	MODULE, ISDN-S0, 1CT:2CT, 110mH, 4KV (T60407-L5054-X006)(銘電TI1652SH)
#N/A	ATS-743AR	SPHAIRON	2007/1/1	TRANSFORMER, ATS-743AR, ISDN-S0, OTHER, 1CT:2CT, 110mH, 4KV (VAC T60407-L5054-X006)(銘電??)
CMS241880D	ATS-743R	AVB	2006/2/10	ROHS OF ATS-743(銘電TI1652SHR)
#N/A	ATS-743R-3	AVB		ROHS OF ATS-743 (永誠 YI-16SH02AR)
CTA413008A	ATS-744	友訊	2005/12/21	EP-13, 6.04mH*2, 1500V, POTS FILTER, DIP
#N/A	ATS-745	凱碩	2007/1/1	EP-13, 4.2SP:2.1SP:1SP, 1.4mH, 12PINS SMD (504 13 050 00)
#N/A	ATS-745R	凱碩	2007/1/1	ROHS OF ATS-745
#N/A	ATS-746	凱碩	2007/1/1	EP-13, 3.8SP:1.9SP:1SP, 200uH, 12PINS SMD (T1530/A1/01)
CTA413009A	ATS-746N	凱碩	2005/12/21	LEAD FREE OF ATS-746
#N/A	ATS-747	ATECH	2007/1/1	EF-12.6, 4mH*2(ONE SECTION) FOR ATF090
#N/A	ATS-748	聯磁	2007/1/1	EP-13, 40:8:8:8, FOR SL3210 (31353R)
#N/A	ATS-749	葆得	2007/1/1	EP-13, 2.2SP:1SP 410uH, UL1950 (LAL060C-01)
CTA41302QA	ATS-749A	葆得	2006/1/9	EP-13, 2.2SP:1SP 410uH, UL1950
CTA413030A	ATS-749AR	葆得	2006/2/20	ADSL TRANSFORMER EP-13 2.19SP:1SP 410uH ROHS OF ATS-749A
#N/A	ATS-750	葆得	2007/1/1	EP-13, 2SP:1SP 410uH, UL1950 (LAL0677-02)
CTA41300TA	ATS-750A	葆得	2005/12/28	EP-13, 2SP:1SP 410uH, UL1950
CTA41300ZA	ATS-750AR	葆得	2006/2/20	ADSL TRANSFORMER EP-13 2SP:1SP 410uH UL1950.RoHS OF ATS-750A
#N/A	ATS-751	凱碩	2007/1/1	EE-5, 2.5uH*2, SMD (40516R)
#N/A	ATS-751R	凱碩	2007/1/1	ROHS OF ATS-751
CTA410005A	ATS-752	聯磁	2007/1/1	EP-10, TRANSFORMER, ISDN-UP0, 1SP:1SP, 1.7mH W/H 75mADC (T60403-M5024-X008)
CTX410000A	ATS-753	聯磁	2005/12/21	EP-10, TRANSFORMER, ISDN-UPN, 2SP:1SP, 1.7mH W/H 85mADC (T60403-M5024-X022)

CTAH1300ZA	ATS-754	ATECH	2006/1/2	EF-12.6, 2.12mH*2(TWO SECTIONS) FOR ATF053B1
CTAH13010A	ATS-755	ATECH	2006/1/2	EF-12.6, 10.2mH*2(TWO SECTIONS) FOR ATF053B1
CTAH13011A	ATS-756	ATECH	2006/1/2	EF-12.6, 584uH*2(TWO SECTIONS) FOR ATF053B1
CTAH13012A	ATS-757	ATECH	2006/1/2	EF-12.6, 1.27mH*2(TWO SECTIONS) FOR ATF053B1
CTA413037A	ATS-758AR	ASKEY(吳江)	2006/4/20	TRANSFORMER, ATS-758AR, ADSL, EP-13, ROHS, SMD, 1.6SP:1SP, 410uH, 1500V (P432024L)
CTA41303DA	ATS-758R	捷超	2006/9/6	TRANSFORMER, ATS-758R, ADSL, EP-13, ROHS, 2SP:1SP 410uH, DIP, UL1950 (P432003)
#N/A	ATS-759	WONGS	2007/1/1	EE-25, COMMON CHOKE 5mH*2, 4A
#N/A	ATS-760	DS2	2007/1/1	UU-10.5, COMMON CHOKE 20mH*2/0.5A (PLA10A2030R5R2)
#N/A	ATS-761	WONGS	2007/1/1	EF-16, COMMON CHOKE 2mH*2/ 3A
CTW013003A	ATS-762R	ATECH	2006/5/23	TRANSFORMER, ATS-762R, EE-13, POWER, AC/DC, FOR 85M HOME PLUG, ROHS
#N/A	ATS-763	SEA	2007/1/1	RM-6, 600:600, 2.2H
#N/A	ATS-764	ASKEY	2007/1/1	UU-10, COMMON CHOKE 10mH, LEAD-FREE
#N/A	ATS-765	ATECH	2007/1/1	EF-12.6, 2.42mH*2(TWO SECTIONS) FOR ATF053B1
#N/A	ATS-766	UNIDUX	2007/1/1	EP-10, TRANSFORMER, ISDN, 1CT:2CT, 45mH SMD, 500V(TDK TRTEPC9.8S-J008C003)
#N/A	ATS-767	UNIDUX	2007/1/1	EP-10, TRANSFORMER, ISDN, 1:1:1:2, 22mH SMD, 500V(TDK TRTEPC9.8S-J007C003)
#N/A	ATS-768R	ASKEY	2007/1/1	EE-5, 2.35uH*2, SMD, ROHS, 600VDC
#N/A	ATS-769R	ASKEY	2007/1/1	EE-5, 15.10uH*2, SMD, ROHS, 600VDC
#N/A	ATS-770R	ASKEY	2007/1/1	EP-13, 2SP:1SP 100uH, ADSL, W/O STAND-OFF
CTA607004A	ATS-771	賽銘鑫	2006/1/20	EPX-7, 2.29SP:1SP, 1.2mH SMD, ADSL, 1500V
#N/A	ATS-771A	賽銘鑫	2007/1/1	ATS-771 W/H CUSTOMER MARKING
CTX014000A	ATS-772R	騰翔	2007/9/29	TRANSFORMER, ATS-772, PULSE, EE-14, 18mH, 500V, ROHS (LB-3618-DT1)
#N/A	ATS-773	ATECH	2007/1/1	GAP RINGCORE, T5.85X3.05X1.5, 56uH, 500V
#N/A	ATS-774	ATECH	2007/1/1	GAP RINGCORE, T5.85X3.05X1.5, 73uH, 500V
#N/A	ATS-775	ATECH	2007/1/1	GAP RINGCORE, T5.85X3.05X1.5, 48uH, 500V
#N/A	ATS-776	ATECH	2007/1/1	GAP RINGCORE, T5.85X3.05X1.5, 89uH, 500V
CTA407007A	ATS-777	康舒	2005/12/27	EP-7, ADSL INDUCTOR, 1:1, FOR INFINEON 4565, 6.76mH*2, SMD (B78417A1706A003)
CTA407008A	ATS-778	康舒	2005/12/27	EP-7, 1.31SP:1SP, ADSL TRANSFORMER, FOR INFINEON 4565, 1.444mH*2, SMD (B78417A1698A003)
#N/A	ATS-779	訊舟	2007/1/1	EP-13, ADSL TRANSFORMER, FOR INFINEON ANNEX A, 12PINS SMD (LAL0648)

#N/A	ATS-780	訊舟	2007/1/1	EP-13, ADSL TRANSFORMER, FOR INFINEON ANNEX B, 12PINS SMD (LAL0637)
#N/A	ATS-781	嘉馬電子	2007/1/1	EP-13, COMMON CHOKE, 2.5mH*2, 1500V, FOR ADSL
#N/A	ATS-782R	ASKEY	2007/1/1	EP-7,VDSL, 1.33SP:1SP, 270uH, EN60950, SMD (BX4175WNL)(B78417A1922A003)
#N/A	ATS-783	ASKEY	2007/1/1	EP-13, ADSL TRANSFORMER, 10PINS SMD (G044162)
#N/A	ATS-784	BCL	2007/1/1	EL-14, 50:50, 1250V
#N/A	ATS-785R	ASKEY	2007/1/1	ROHS, EP-7,VDSL2, 1:3.0, 100uH, UL1950, IEC1950, SMD (IKANOS CC600)
#N/A	ATS-786	ATECH	2007/1/1	EF-13,ADSL, 1:1, 487uH, EN60950, DIP, 2 SECTIONS
#N/A	ATS-787R	ASKEY	2007/1/1	TRANSFORMER, ADSL, EP-13, 4mH*2, 1250V, SMD (B2086NL)
#N/A	ATS-788	ASKEY	2007/1/1	EP-13, 2SP:1SP 100uH, 1500VAC, W/O STAND-OFF (LAL0286)
CTA41303KA	ATS-788R	ASKEY	2007/1/30	TRANSFORMER, ATS-788R, ADSL, EP-13, 1:2, 100uH, 1875V, ROHS
#N/A	ATS-789R	ASKEY	2007/1/1	EP-7, 1.39SP:1SP 100uH, 1500V, IEC60950 (C2937L)
#N/A	ATS-790R	中磊	2007/1/1	用EP-7取代, EP-5,VDSL2, 4SP:3SP, 82uH, FOR INFINEON, UL60950/EN60950, SMD (TRTEP5S-U422C014)
#N/A	ATS-791R	中磊	2007/1/1	EP-7,VDSL2, 4SP:3SP, 470uH, FOR INFINEON, UL60950/EN60950, SMD (TRTEP7S-U421C014)
#N/A	ATS-792R	竑聖貿	2007/1/1	ED-8, 1:1, 600:346, 0mA, 1000VAC, UL1950, SMD (TTC-203SL)
#N/A	ATS-793AR	啓源	2007/1/1	ED-8, 1:1, 3.8H, POTTING SMD, 3KV
#N/A	ATS-793R	EUROTRONIX	2007/1/1	TRANSFORMER, ED-8, 1:1, SMD, TUBE PACKING (SM-LP-5001)
#N/A	ATS-794R	宏想	2007/1/1	RING, 9:4:4, FOR HOME PLUG 85M
#N/A	ATS-795R	星通	2007/1/1	EP-7, 1SP:1SP, 109uH, 1500VAC, SMD
#N/A	ATS-796R	仲琦	2007/1/1	EP-10, ADSL, 1SP:1SP, 280uH, 2500VAC, SMD (YCL PS086979)
#N/A	ATS-797R	BAUDTEC	2007/1/1	EL-16, POWER, 3.8W, FOR 85M HOMEPLUG 2*RJ45 MODEL
#N/A	ATS-798R	BAUDTEC	2007/1/1	EL-16, POWER, 10W, FOR 85M HOMEPLUG W/H ADSL2+ ROUTER MODEL
CTW016004A	ATS-799R	ATECH	2006/5/23	TRANSFORMER, ATS-799R, EI-16, POWER, 3W, FOR A-FA 50M&85M HOME PLUG, ROHS
CTW019004A	ATS-800R	ATECH	2007/6/14	TRANSFORMER, ATS-800R, POWER, EE-19, AC/DC, FOR HOMEPLUG 50M, ROHS
#N/A	ATS-801R	ATECH	2007/1/1	EF-12.6, 90uH*2(TWO SECTIONS) FOR ATF100
#N/A	ATS-802R	ATECH	2007/1/1	EF-12.6, 50uH*2(TWO SECTIONS) FOR ATF100
#N/A	ATS-803R	COMPONENTS	2007/1/1	TRANSFORMER, ADSL, RING CORE-11, 1:1:1:1, 28mH, RoHS
#N/A	ATS-804R	ASKEY	2007/1/1	EP-7, 500uH, 2:1, ROHS
CTKG06003A	ATS-805R	Atech	2007/11/28	RING CORE, VDSL, 1:1, 1.30mH, FOR ATF108R

CTA013015A	ATS-805AR	Atech
CTA013011A	ATS-806R	Atech
CTA013004D	ATS-806R-F	Atech
CTA01300ME	ATS-806R-I	Atech
CTA013016A	ATS-806AR	Atech
CTA013012A	ATS-807R	Atech
CTA013005D	ATS-807R-F	Atech
CTA01300NE	ATS-807R-I	Atech
CTA013017A	ATS-807AR	Atech
CTA013013A	ATS-808R	Atech
CTA013006D	ATS-808R-F	Atech
CTA01300PE	ATS-808R-I	Atech
CTA013018A	ATS-808AR	Atech
CTA013014A	ATS-809R	Atech
CTA013007D	ATS-809R-F	Atech
CTA01300QE	ATS-809R-I	
CTAG04000A	ATS-809AR	Atech
CTX008001A	ATS-810R	光寶
#N/A	ATS-811R	ASKEY
CTXG09001A	ATS-812R	Atech
CTXG09002A	ATS-813R	Atech
CTP115000A	ATS-814R	冠宇
#N/A	ATS-815R	世界宏景
#N/A	ATS-816R	世界宏景
#N/A	ATS-817R	亞旭吳江
#N/A	ATS-818R	ASKEY
#N/A	ATS-818AR	亞旭
#N/A	ATS-819R	宏想

2007/1/1	TRANSFORMER, VDSL,EE-13, FOR ATF101R
2007/11/28	TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(精良 085-EE13-012) TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(蔚駿 EE-1306)
2007/1/1	TRANSFORMER, VDSL,EE-13, FOR ATF101R
2007/11/28	TRANSFORMER, VDSL, EE-13, FOR ATF108R TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(精良 085-EE13-013) TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(蔚駿 EE-1306)
2007/1/1	TRANSFORMER, VDSL,EE-13, FOR ATF101R
2007/11/28	TRANSFORMER, VDSL, EE-13, FOR ATF108R TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(精良 085-EE13-014) TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(蔚駿 EE-1306)
2007/1/1	TRANSFORMER, VDSL,EE-13, FOR ATF101R
2007/11/28	TRANSFORMER, VDSL, EE-13, FOR ATF108R TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(精良 085-EE13-015) TRANSFORMER, VDSL, EE-13, 1:1, FOR ATF108R(蔚駿 EE-1306)
2007/1/1	RING CORE, VDSL, 1:1, FOR ATF101R
2007/6/15	TRANSFORMER, ATS-810R, FLYBACK, EE-8.8, SMD, ROHS
2007/1/1	TRANSFORMER, EP-13, PoE, Vin=33-57V/200KHZ, Vo= 12V/13.5W, Aux=8V/20mA, 1:0.292:0.208, 127uH (Pulse PA1138NL)
2006/5/29	TRANSFORMER, ATS-812R, COUPLING, RING9, 6:6:2, FOR INTELLON 85M, ROHS
2006/6/14	TRANSFORMER, ATS-813R, COUPLING, RING9, 6:4:6, FOR A-FA 50M&85M, ROHS
2006/8/17	TRANSFORMER, ATS-814R, POTS, EFD-15, 24V INPUT, 1 : 4.58 : 0.67, 220uH, ROHS
2007/1/1	TRANSFORMER, ATS-815R, EP-13, SMD, PoE, Vin=33-57V/200KHZ, Vo=12V/13.5W, Aux=8V/20mA, 1:0.682:0.682, 77.4uH (PulsePA1276NL)
2007/1/1	TRANSFORMER, ATS-816R, EP-13, SMD, PoE, Vin=33-57V/200KHZ, Vo=3.3V/13.5W, Aux=12V/20mA, 1:0.182:0.682, 77.4uH (PulsePA1269NL)
2007/1/1	TRANSFORMER, ATS-817R, POWER COUPLING, RING9(優磁), ROHS(LINKCOM LTC0200)
2007/1/1	TRANSFORMER, ATS-818R, POE FLYBACK, EP-13, 127uH, ROHS
2007/12/5	TRANSFORMER, ATS-818AR, POE FLYBACK, EP-13, 1:2:4, 127uH ROHS
2007/1/1	TRANSFORMER, ATS-819R, COUPLING, RING9, FOR HOME PLUG 200M, ROHS(Intellon 20003135)

#N/A	ATS-820R	UNIDUX	2007/1/1	TRANSFORMER, ATS-820R, POWER, EE-13, FOR HOME PLUG 200M, ROHS
#N/A	ATS-821R	訊動	2007/1/1	TRANSFORMER, ATS-821R, VDSL, EP-7, 1.5:1, 340uH, RoHS
CTA41303EA	ATS-822R	捷超	2006/9/22	TRANSFORMER, ATS-822R, ADSL, EP-13, ROHS, 2SP:1SP 410uH, DIP
#N/A	ATS-823R	益登	2007/1/1	TRANSFORMER, ATS-823R, POWER, EP-10, 3.3V, 3.0A, 40uH, SMD, ROHS
CTW410000A	ATS-824R	益登	2006/10/19	TRANSFORMER, ATS-824R, POWER, EP-10, ROHS, 5.0V, 2.0A, 40uH, SMD
#N/A	ATS-825R	益登	2007/1/1	TRANSFORMER, ATS-825R, POWER, EP-10, 12V, 0.83A, 40uH, SMD, ROHS
#N/A	ATS-826R	益登	2007/1/1	TRANSFORMER, ATS-826R, POWER, EP-10, 9V, 1.0A, 40uH, SMD, ROHS
CTA41303VA	ATS-827R	智易	2007/1/1	TRANSFORMER, ATS-827R, ADSL, EP-13, 4.2SP:4.2SP:1SP, 1.4mH, SMD, ROHS (MIDCOM 52237R-LF1)
#N/A	ATS-828R	中磊	2007/1/1	TRANSFORMER, ATS-828R, T1, EP-13, SMD, ROHS (SUMIDA C14111 rev. P1)
#N/A	ATS-829R	亞元	2007/1/1	INDUCTOR , ATS-829R , ADSL , AIR COIL FOR ATF107R, RoHS
#N/A	ATS-830R	合勤	2007/1/1	TRANSFORMER, ATS-830R, VDSL, EP-7, SMD, ROHS
#N/A	ATS-831R	DS2	2007/1/1	TRANSFORMER, ATS-830R, UU-10.5, COMMON CHOKE, SMD, ROHS (PLA10A2030R5R02)
#N/A	ATS-832R	Atech	2007/1/1	TRANSFORMER, ATS-832R, FOR ATF109R, EP-7, SMD, RoHS
#N/A	ATS-833R	Atech	2007/1/1	TRANSFORMER, ATS-833R, FOR ATF109R, EP-7, SMD, RoHS
CTA013010A	ATS-834R	Atech	2006/12/13	TRANSFORMER, ATS-834R, FOR ATF110R, EE-13, 4mH, RoHS
CTA41303JA	ATS-835R	亞旭	2007/1/29	TRANSFORMER, ATS-835R, ADSL, EP-13, 2SP:1SP, 409uH, RoHS (COILCRAFT B0727-B)
#N/A	ATS-836R	王氏	2007/1/1	TRANSFORMER, ATS-836R, POWER, OTHER, 3CT:8CT, 960 uH, 2000V, SMD, RoHS (HALO TGM-280NS)(銘電 TX0643SR)
#N/A	ATS-837R	正方科技	2007/1/1	TRANSFORMER, ATS-837R, VDSL, EP-7, SMD, 4SP:1SP, 109uH, RoHS (LinkCom LAL1217)
#N/A	ATS-838R	雅企科技	2007/1/1	TRANSFORMER, ATS-838R, E1, RM-4, DIP, ROHS
#N/A	ATS-839R	PLEXUS	2007/1/1	TRANSFORMER, ATS-839R, ISDN, EP-13, 1.65SP:1CT 16mH, FOR PEB-2091, 1500V, U-INTERFACE, ROHS (Telma EPU-100A)
#N/A	ATS-840R	中怡(大陸)	2007/1/1	TRANSFORMER, ATS-840R, VDSL, 2SP:1SP, 420uH, EP-7, SMD, RoHS(PULSE BX4157L)
CTT413000A	ATS-841R	中磊	2007/5/28	TRANSFORMER,ATS-841R,DSL,2.5SP:1SP,EP-13,SMD,100uH,RoHS (sumida C14127 rev P6)
#N/A	ATS-842R	中磊	2007/1/1	TRANSFORMER,ATS-842R,T1,2.5SP:2.5SP:1SP,EP-13,SMD,400uH,RoHS (TDK TRTEP13S-U575B017)
#N/A	ATS-843R	聯盟電子	2007/1/1	TRANSFORMER,ATS-843R,EL-14,900:900,RoHS
#N/A	ATS-845R	GARINDA	2007/1/1	TRANSFORMER, ATS-845R, POTS, ED-8, 1:1, SMD, REEL PACKING, ROHS
CTT413001A	ATS-846R	中磊	2007/5/29	TRANSFORMER,ATS-846R,T1,EP-13,2.5SP:2.5SP:1SP,1.5mH,SMD,RoHS (TDK TRTEP13S-U575B015)
#N/A	ATS-847R	AV-GAD	2007/1/1	TRANSFORMER,ATS-847R, MODEM, 600:600,EL-16,DIP,7H,RoHS
#N/A	ATS-848R	PLEXUS	2007/1/1	TRANSFORMER,ATS-848R,T1,1.6SP:1SP,EP-13,DIP,410uH,RoHS (LinkCom LAL2009)

#N/A	ATS-848AR	亞旭	2007/12/19	TRANSFORMER,ATS-848AR,EP-13,T1,1.6SP:1SP,PIN#3不插DIP,410uH,RoHS (LinkCom LAL2009)
CTP214005A	ATS-849R	上海優倫電子	2007/6/22	TRANSFORMER, ATS-849R, POTS, 600:600, EI-14, ROHS
#N/A	ATS-850R	雅登	2007/1/1	TRANSFORMER, ATS-850R, CHOKE, UU10.5, RoHS
#N/A	ATS-851R	新基	2007/1/1	TRANSFORMER, ATS-851R, EP-7, 75:125, 5~30MHz, RoHS
#N/A	ATS-852R	INTER	2007/1/1	TRANSFORMER,ATS-852R,EP-7,5.5mH,1:1,RoHS
CTA40700KA	ATS-853R	PLEXUS	2007/6/28	TRANSFORMER,ATS-853R,EP-7, 750uH, 0.408:1.0, RoHS
#N/A	ATS-854R	上海(群加)電子	2007/1/1	TRANSFORMER,ATS-854R, POTS, EI-14, 45mH, 1:1, RoHS
#N/A	ATS-855R	UNIDUX	2007/1/1	TRANSFORMER, ATS-855R,PLC COMMON CHOKE, UU9.8, 1:1, 25uH, ROHS
#N/A	ATS-856R	UNIDUX	2007/1/1	TRANSFORMER, ATS-856R, POWER, RING 7*3*4, 1:1, 7.5uH, PLC COIL, DIP, ROHS
CTH900000A	ATS-857R	冠宇	2007/8/2	TRANSFORMER, ATS-857R, CHOKE, RING 9*5*3, 1:2.28:18.25, 11.2mH, ROHS
#N/A	ATS-858R	傳康	2007/1/1	TRANSFORMER, ATS-858R, ADSL, EP-13, 1SP:2.125SP, 5mH, DIP, ROHS
CTP214006A	ATS-859R	紘聖賢	2007/7/4	TRANSFORMER,ATS-859R, POTS, EI-14, 1:1:4.22, 180mH, ROHS
#N/A	ATS-860R	Atech	2007/1/1	TRANSFORMER,ATS-860R, EE-13, 1:1, 6.2mH, ROHS, FOR ATM-125R
#N/A	ATS-861R	ASKEY	2007/1/1	TRANSFORMER,ATS-861R, VOIP, EP-13, 1:1:1, 5uH, ROHS
CTP01601DA	ATS-862R	Atech	2007/1/1	TRANSFORMER,ATS-862R,FOR ATF112R,RoHS
CTP01601EA	ATS-863R	Atech	2007/1/1	TRANSFORMER,ATS-863R,FOR ATF112R,RoHS
CTP01601FA	ATS-864R	Atech	2007/1/1	TRANSFORMER,ATS-864R,FOR ATF112R,RoHS
CTP01601GA	ATS-865R	Atech	2007/1/1	TRANSFORMER,ATS-865R,FOR ATF112R,RoHS
#N/A	ATS-866R	達威	2007/1/1	TRANSFORMER,ATS-866R, EL-16, 600:420, 1500V, RoHS
#N/A	ATS-867R	ASKEY	2007/1/1	TRANSFORMER,ATS-867R, POWER, EFD-20, 900uH, DIP, ROHS (200M POWER LINE)
#N/A	ATS-868R	ASKEY	2007/1/1	TRANSFORMER, ATS-868R, POWER COUPLING, RING 9*6*3, 1:1:1, 10uH, ROHS
#N/A	ATS-869R	Atech	2007/1/1	TRANSFORMER,ATS-869R,VDSL,FOR PT51582L,RoHS
#N/A	ATS-870R	Atech	2007/1/1	TRANSFORMER,ATS-870R,VDSL,FOR PT51583L,RoHS
CTW013004A	ATS-871R	Atech	2007/11/22	TRANSFORMER, ATS-871R, POWER, EE-13, AC/DC, FOR 200M HOMEPLUG, ROHS
CTA41303TA	ATS-872R	BAUDTEC	2007/11/27	TRANSFORMER,ATS-872R,ADSL,EP-13,4.25SP:4.25SP:1SP,2mH,SMD,RoHS (PULSE BX2904LNL)
#N/A	ATS-873R	亞洲艾可慕	2007/1/1	TRANSFORMER, ATS-873R, EP-13, 600:310, DIP
#N/A	ATS-874R	力登	2007/11/8	TRANSFORMER POE, ATS-874R, ER-9.5, 1:1.5, SMD, RoHS
#N/A	ATS-875R	COMM-INNOVATIONS	2007/11/21	TRANSFORMER, ATS-875R, ER-9.5, 150:8, RoHS

#N/A	ATS-876R	Atech	2007/12/19 TRANSFORMER, ATS-876R, ADSL, EE-16, FOR ATM-130R
#N/A	ATS-877R	Atech	2007/12/19 TRANSFORMER, ATS-877R, ADSL, EE-16, FOR ATM-130R
#N/A	ATS-878R	亞旭(吳江)	2007/12/19 TRANSFORMER,ATS-878R,ADSL,EP-13,4.25SP:4.25SP:1SP,100uH,SMD,RoHS (LinkCom LAL2021)
#N/A	ATS-879R	亞旭(吳江)	2007/12/19 TRANSFORMER,ATS-879R,ADSL,EP-13,4.2SP:4.2SP:1SP,1.4mH,SMD,RoHS (LinkCom LAL2052)
#N/A	ATS-880R	亞旭(吳江)	2007/12/19 TRANSFORMER,ATS-880R,VDSL,EP-7,1SP:0.75SP,470uH,SMD,RoHS (TDK TRTEP7S-U554C013)
CTA41303YA	ATS-881R	亞旭(吳江)	2007/12/19 TRANSFORMER, ATS-881R, ADSL, EP-13, 3.8SP:3.8SP:1SP, 200uH, SMD, RoHS (LinkCom LAL2040)
#N/A	ATS-882R	中磊	2008/1/2 TRANSFORMER, ATS-882R, VDSL, EP-7, 2:1, 800uH, SMD, RoHS(UMEC UTB00790S)
#N/A	ATS-883R	Ei-An	2008/1/23 TRANSFORMER, ATS-883R, ADSL, EP-13, 4.25SP:4.25P:1SP, 3mH, SMD, RoHS
#N/A	ATS-884R	ASKEY(吳江)	2008/2/21 TRANSFORMER, ATS-884R, ADSL, EP-13, 4.25SP:4.25SP:1SP, 400uH, SMD, ROHS (LAL2020)
CTP019003A	ATS-885R	UNIDUX	2008/2/26 TRANSFORMER, ATS-885R, POTS, EE-19, 600:600, WET, 500V, ROHS
#N/A	ATS-886R	三捷	2008/2/22 TRANSFORMER, ATS-886R, FLYBACK, EE-8.8, SMD, ROHS
#N/A	ATS-887R	閣美	2008/3/4 TRANSFORMER, ATS-887R, POWER, EFD-15, 1:0.35:0.35, 35uH, SMD, ROHS(POE13F-12 Coilcraft)
#N/A	ATS-888R	BDL	2008/3/7 TRANSFORMER, ATS-888R, POTS, ED-8, 1:1, 3H, 4000V, SMD, ROHS (UMC UT41663)
CTPL08009A	ATS-888AR	富鈞電子	2008/4/9 TRANSFORMER, ATS-888AR, POTS, ED-8, 1:1, ATS-888R W/H CUSTOMER MARKING (UMC UT41663)
#N/A	ATS-889R	SOPRANO	2008/4/3 TRANSFORMER, ATS-889R, XDSL, EP-13, 2.25:2.25:1, 3.019mH, SMD, ROHS (EPCOS B78421A1852A003)
#N/A	ATS-890R	亞旭	2008/4/8 TRANSFORMER, ATS-890R, POE , EP-10, 1:0.667:0.262, 155uH, 5.0V 1.4A, SMD, ROHS
#N/A	ATS-891R	金益宏	2008/3/26 TRANSFORMER, ATS-890R, EE-10, 2:1, ROHS
CTA410006A	ATS-892R	中磊	2008/4/9 TRANSFORMER, ATS-892R, DSL , EP-10, 1:1, 5.1mH, DIP, ROHS
#N/A	ATS-893R	ONE	2008/4/22 TRANSFORMER, ATS-893R, ADSL, EP-13, 4.2SP:2.1SP:1SP, 1.4mH, SMD, RoHS (PULSE BX2913LNL)
#N/A	ATS-894R	ALPHA MICRO	2008/7/11 TRANSFORMER, ATS-894R, AUDIO, ED-8, 1:1, 1500V, SMD, RoHS (refer to SM76828)