



YONGCHENG

SPECIFICATION FOR APPROVAL

DATE: OCT 15, 2009

SAMPLE Q'TY 5 PCS

CUSTOMER : ACUWA

CUSTOMER P/N: AM-025

YONGCHENG P/N : YL-1S055N-36

DESCRIPTION : 1 PORT RJ-45 JACK

APPROVED SIGNATURES	
YONGCHENG APPROVED SIGNATURES	CUSTOMER APPROVED SIGNATURES
APPROVED BY: LiaoZongCheng	APPROVED BY:
DATE: 2009/10/15	DATE:
APPROVED No. :	APPROVED No. :

(ZUNYI)YONGCHENG ENTERPRISE INC.

LanGongShan,ZunYi City,GuiZhou,China

Tel: 0852-3162322 13087896733 Fax: 0852-3162322 E-mail<lzc0818@163.com>

P/N:YL-1S055N-36DATA SHEET(REFERENCE ACUWA AM-025)




YONGCHENG
ELECTRONIC CORP.

REV:A0


Page : 1/5

Mechanicals



1. Plastic Material : Thermoplastic (UL 94V-0), Black Housing
2. Metal Shield : Brass , 20u inches thick Nickel
3. Spring Wire : 0.45mm Dia. Phosphor bronze with selective gold plating
4. Solder Pin : 0.4x0.4mm, Phosphor bronze with solder Plated
5. Durability : 300 Mating cycles Min.

PCB Layout Mounting Hole (Top View)



SAMPLES TEST REPORT



Page :2/6

PART NO.		AM-025		DATE			2009/10/15					
DESCRIPTION		1 PORT RJ-45 JACK WITH 1000BASE-T MAGNETICS MODULE										
ITEM	TEST EQUIPMENTS	TEST CONDITION @ 25°C	SAMPLES NO. TEST PIN	1	2	3	4	5	SPECIFICATION			
									Min	Typ	Max	
OPEN	3250		P1-P2	PASS	PASS	PASS	PASS	PASS	OPEN			
			P2-P3	PASS	PASS	PASS	PASS	PASS				
			P3-P4	PASS	PASS	PASS	PASS	PASS				
			P4-P5	PASS	PASS	PASS	PASS	PASS				
			P6-P7	PASS	PASS	PASS	PASS	PASS				
			P7-P8	PASS	PASS	PASS	PASS	PASS				
			J1-J2	PASS	PASS	PASS	PASS	PASS				
			J2-J3	PASS	PASS	PASS	PASS	PASS				
			J3-J4	PASS	PASS	PASS	PASS	PASS				
			J4-J5	PASS	PASS	PASS	PASS	PASS				
			J5-J6	PASS	PASS	PASS	PASS	PASS				
			J6-J7	PASS	PASS	PASS	PASS	PASS				
			J7-J8	PASS	PASS	PASS	PASS	PASS				




YONGCHENG ELECTRONIC CORP.

SAMPLES PACK SPECIFICATIONS



Page: 5/5

CUSTOMER	ACUWA	CUST P/N.	AM-025
ITEM	RJ-45 JACK	DESCRIPTION	YL-1S055N-36
PART NO.	868-03160	DATE	2009/10/15



Units:mm Tolerances: xx.xx0±0.25
x.x0±0.25

MECHANICAL DIMENSION



TRAY =100 PCS

EXPORT CARTON=10*100=1000 PCS

EXPORT CAPTON : 280*230*210

REMARK:	APPROVAL	CHECKED	DRAWN BY
	LiaoZongCheng		Qingxiaobin